



Inspection Report

Mark Aine
130 S. Cleveland Avenue
Loveland, CO 80537

Customer ID: **29785**
Certificate: **84-B-0100**
Site: 001
MARK AINE

Type: ROUTINE INSPECTION
Date: 03-DEC-2014

3.1(c)(2)

HOUSING FACILITIES, GENERAL.

Maintenance and replacement of surfaces.

Several indoor kennels housing puppies had surfaces that were damaged, chewed, or worn:

**Kennel housing 2 German shepherd puppies with 1 golden retriever puppy had a wooden board at the gate that was severely chewed and had plastic/fiberglass panels on the floors and walls that were broken, exposing the unsealed floor and wall surfaces.

**Kennel housing 1 Weimerarner puppy and 1 Shiba inu puppy had a wooden board at the gate that was severely chewed and had plastic/fiberglass panels on the walls that were broken, exposing the unsealed floor and wall surfaces.

**Raised, open top enclosure housing 3 puppies (1 English bulldog, 1 miniature schnauzer, and 1 Chihuahua) had a gouged hole in the cement wall which exposes the unsealed surface.

The fenced outdoor yard where puppies are exercised had a plastic storage bin that had a hole in the lid and had a storage shed with flaking paint on the wooden surface.

These surfaces are not in good repair, cannot be adequately cleaned and sanitized, and pose a risk for either injury and /or for exposure to infectious organisms from the unsealed and damaged surfaces.

All surfaces must be maintained on a regular basis. Surfaces of housing facilities--including houses, dens, and other furniture-type fixtures and objects within the facility--that cannot be readily cleaned and sanitized, must be replaced when worn or soiled.

To be corrected by 1/5/2015.

3.11(c)

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

Housekeeping for premises.

Prepared By: TRACY THOMPSON, D V M USDA, APHIS, Animal Care

Date:
04-DEC-2014

Title: VETERINARY MEDICAL OFFICER 5044

Received by Title: OWNER

Date:
04-DEC-2014



Inspection Report

The exhaust vent in the room housing 20 puppies and which is directly over two open top enclosures housing a total of 5 puppies, had an accumulation of cobwebs, dust and debris. This material was hanging thickly from the vent and poses a risk to the health of the puppies due to potential inhalation of the material which may contain waste material.

Premises where housing facilities are located must be kept clean and in good repair to protect the animals health.

To be corrected by 12/5/2014.

Inspection and exit interview conducted with the owner, PACFA inspector, and AC VMO.

Prepared By: TRACY THOMPSON, D V M USDA, APHIS, Animal Care

Date:
04-DEC-2014

Title: VETERINARY MEDICAL OFFICER 5044

Received by Title: OWNER

Date:
04-DEC-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
29785	84-B-0100	001	MARK AINE	03-DEC-14

Count	Scientific Name	Common Name
000008	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG
000020	<i>Canis lupus familiaris</i>	DOG PUPPY
000005	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000011	<i>Cricetus cricetus</i>	EUROPEAN HAMSTER / BLACK-BELLIED HAMSTER
000003	<i>Felis silvestris catus</i>	CAT KITTEN
000002	<i>Meriones unguiculatus</i>	MONGOLIAN GERBIL (COMMON PET / RESEARCH VARIETY)
000003	<i>Mesocricetus auratus</i>	SYRIAN / GOLDEN HAMSTER (COMMON PET/RESEARCH TYPE)
000003	<i>Muscardinus avellanarius</i>	HAZEL DORMOUSE
000002	<i>Octodon degus</i>	DEGU
000004	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000061	Total	