



## Inspection Report

---

ALVIN LAPP  
305 PENNSY ROAD  
NEW PROVIDENCE, PA 17560

Customer ID: **332490**  
Certificate: **23-A-0607**  
Site: 001  
ALVIN F LAPP

Type: ROUTINE INSPECTION  
Date: 28-JUN-2021

---

### 3.56(b)(1)

#### Sanitation.

The rabbit pans under the wire floors have a buildup of fecal and urine stains. Primary enclosures and pans need to be sanitized at least every 30 days to prevent health risks to the animals. Licensee must ensure the pans are sanitized at least every 30 days to protect the health of the rabbits. Correct by June 30, 2021.

This inspection and exit interview were conducted with the facility representative.

---

Prepared By: ROBERT MARKMANN  
USDA, APHIS, Animal Care  
Title: ANIMAL CARE INSPECTOR

Date:  
28-JUN-2021

Received by Title: Facility Representative

Date:  
28-JUN-2021



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
332490	23-A-0607	001	ALVIN F LAPP	28-JUN-2021

Count	Scientific Name	Common Name
000017	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000017	<b>Total</b>	