



## Inspection Report

Barbara K Crick  
46785 828th Road  
Burwell, NE 68823

Customer ID: **5036**  
Certificate: **47-A-0426**  
Site: 001  
Barbara Crick

Type: ROUTINE INSPECTION  
Date: 21-MAY-2014

### 3.1(f)

#### HOUSING FACILITIES, GENERAL.

Between the "East building" and the "East outdoor" enclosures, there is a drainage pipe coming from the East building into a shallow trench which deposits runoff with feces, urine, food and other organic materials. This is causing odors and attracting a significant number of flies. This shallow trench is located between 15 and 20 feet away from and affecting 17 adult dogs. Also, around the edges of the East Outdoor enclosures, affecting 14 adult dogs, there are feces, urine, food, bedding and other organic materials from hosing the enclosures the day prior. A significant number of flies were around these piles. Flies can cause the spread of disease and affect the health and well-being of the animals. The licensee must remove this material and ensure that the drainage runoff is far enough away from the animals to prevent odors, diseases, pests, and vermin infestation.

To be corrected by May 23, 2014.

### 3.6(a)(2)(9)

#### PRIMARY ENCLOSURES.

In an outdoor enclosure, housing one boxer, there are two wooden support beams which have been chewed. These wooden beams are splintered and are no longer impervious to moisture. The inspectors instructed the licensee to apply water to the chewed and splintered areas. When she did, the water did not bead up but soaked into the wood. These surfaces can no longer be properly cleaned and sanitized. The licensee must repair or replace these wooden beams and ensure that all surfaces in contact with the animals can be cleaned and sanitized in accordance with 3.11 (b).

To be corrected by June 4, 2014.

### 3.10 DIRECT

#### WATERING.

In two of the "South outdoor enclosures," affecting four dogs, the water receptacles were empty. The dogs were panting and pacing back in forth in front of the empty water receptacle. When the inspectors questioned the licensee about when the last time the dogs had been provided water, she replied, "Sometime between 2:00 and

Prepared By: LYNN CLARKE, A C I USDA, APHIS, Animal Care

Date:  
21-MAY-2014

Title: ANIMAL CARE INSPECTOR 6074

Received by Title: LICENSEE

Date:  
21-MAY-2014



## Inspection Report

---

6:00 pm" the day prior. It was approximately 12:30 pm at the time of inspection of these enclosures. The licensee was instructed to provide the dogs with water. When she did, the two Saint Bernards began drinking voraciously and non-stop for over five minutes. When she provided the other two Saint Bernards with water, they also drank voraciously for over 2 ½ minutes. Lack of water can cause dehydration or other medical conditions. The licensee must ensure that all dogs be offered clean potable water as often as necessary, but not less than twice daily for at least one hour for the health and well-being of the animals.

Corrected at time of inspection

The inspection and exit interview were conducted with the licensee.

### Additional Inspectors

Osborne Stephanie, Animal Care Inspector

---

**Prepared By:** LYNN CLARKE, A C I USDA, APHIS, Animal Care

**Date:**  
21-MAY-2014

**Title:** ANIMAL CARE INSPECTOR 6074

**Received by Title:** LICENSEE

**Date:**  
21-MAY-2014



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
5036	47-A-0426	001	Barbara Crick	21-MAY-14

Count	Scientific Name	Common Name
000032	<i>Canis lupus familiaris</i>	DOG ADULT
000018	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000050</b>	<b>Total</b>	