



Inspection Report

Steven M Ebersol
604 Gault Road
Gap, PA 17527

Customer ID: **325679**
Certificate: **23-A-0580**
Site: 001
STEVEN EBERSOL

Type: ROUTINE INSPECTION
Date: 17-MAY-2017

3.31(a)(1)

SANITATION.

There is brown scale buildup on the sides of floors of the guinea pig enclosures. Brown scale buildup exposes the guinea pigs to potential infections with bacteria, fungi, and parasites. Correct by ensuring that primary enclosures are cleaned and sanitized often enough to prevent a buildup of brown scale. Additionally, ensure that the primary enclosures are sanitized once every two weeks. Correct by May 20, 2017.

This inspection and exit interview were conducted with the owner.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
17-MAY-2017

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
17-MAY-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
325679	23-A-0580	001	STEVEN EBERSOL	17-MAY-17

Count	Scientific Name	Common Name
000110	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000110	Total	