



## Inspection Report

---

ANNE MEADE  
5982 LAWRENCE HILL ROAD  
SPRINGWATER, NY 14560

Customer ID: **504149**  
Certificate: **21-C-0478**  
Site: 001  
ANNE MEADE

Type: ROUTINE INSPECTION  
Date: 17-JUN-2021

---

### 3.125(a)

### Repeat

#### Facilities, general.

\*\*\* The wire chinchilla enclosure housing three chinchillas still has broken wires at the ramp area and on a shelf. The wires are protruding into the enclosure which can be a safety issue for the animals and affects the structural integrity of the enclosure. This enclosure needs to be maintained in good repair for the safety of the animals.

This inspection and exit interview were conducted with the licensee.

---

Prepared By: ANDREA D AMBROSIO  
USDA, APHIS, Animal Care  
Title: ANIMAL CARE INSPECTOR

Date:  
08-JUL-2021

Received by Title: Licensee

Date:  
08-JUL-2021



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
504149	21-C-0478	001	ANNE MEADE	17-JUN-2021

Count	Scientific Name	Common Name
000005	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000001	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000006	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG (MOST COMMON PET HEDGEHOG)
000005	<i>Chinchilla lanigera</i>	CHINCHILLA (DOMESTICATED)
000017	<b>Total</b>	