



Inspection Report

Frerichs Dairy Inc.
3117 Hwy 159
La Grange, TX 78945

Customer ID: 13155
Certificate: 74-C-0969
Site: 001
Frerichs Dairy, Inc.

Type: ROUTINE INSPECTION
Date: 23-JUL-2015

3.56(a)(2)

SANITATION.

The rabbit enclosure in front of the storefront contained an overly excessive amount of excreta most prevalent around the cage walls. insects, vermin, and foul odors can accumulate if sanitation is not conducted often enough. Ensure sanitation is done in such a way that the enclosures stay reasonably clean of debris. Correct by

8/1/2015

3.130

WATERING.

Watering receptacles in goat enclosures were noted as having a buildup of a textured greenish organic material around the inside walls most prevalent in the black receptacles. Bacteria, or insect larva can build up in watering receptacles not sanitized adequately or often enough bring the possibility of water contamination and the risk of illness or infection to the animals. Ensure the animals are provided water in a properly sanitized receptacle. Correct by

8/1/2015

Exit interview conducted with the undersigned individual by ACI Cox

Prepared By: BRENTON COX, A C I USDA, APHIS, Animal Care

Date:
29-JUL-2015

Title: ANIMAL CARE INSPECTOR 6021

Received by Title: SENT VIA ELECTRONIC MAIL

Date:
29-JUL-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
13155	74-C-0969	001	Frerichs Dairy, Inc.	23-JUL-15

Count	Scientific Name	Common Name
000031	<i>Capra hircus</i>	DOMESTIC GOAT
000006	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000001	<i>Ovis dalli</i>	WHITE SHEEP
000002	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000040	Total	