



Inspection Report

Richard Evola
11660 Grass Lake Road
HILLSDALE, MI 49242

Customer ID: **11268**
Certificate: **34-C-0169**
Site: 002
RICHARD EVOLA

Type: ROUTINE INSPECTION
Date: 06-DEC-2022

3.80(b)(1)

Primary enclosures.

The primary enclosure for 3 ring-tailed lemurs housed together in the warm room is too small. The licensee stated the lemurs weigh approximately 5 pounds. The primary enclosure measures 23" by 45", which is approximately 7.2 square feet. The ring-tailed lemurs must have a minimum of 9 square feet.

The minimum space that must be provided to each nonhuman primate, whether housed individually or with other nonhuman primates, will be determined by the typical weight of animals of its species.

All primary enclosures must meet the minimum square feet to allow each animal to make normal postural and social adjustments with adequate freedom of movement.

To be corrected by December 8, 2022

3.84(b)(2)

Repeat

Cleaning, sanitization, housekeeping, and pest control.

The three ring-tailed lemurs and the 4 common marmosets that are housed in the warm room have excessive grime on the bars that make up the enclosures.

Indoor primary enclosures must be sanitized at least once every 2 weeks and as often as necessary to prevent an excessive accumulation of dirt, debris, waste, food waste, excreta, or disease hazard, using one of the methods prescribed in paragraph (b)(3) of this section.

Prepared By: CARRIE BONGARD
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
06-DEC-2022

Received by Title: Facility Representative

Date:
06-DEC-2022



Inspection Report

The primary enclosures must be cleaned and sanitized as often as necessary to prevent an accumulation of dirt and debris on the primary enclosures.

3.125(a)

Repeat

Facilities, general.

The primary enclosure housing the 3 cows and 9 goats is in disrepair and leaning severely towards the outside of the enclosure.

The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

All primary enclosures must be made of materials and strength appropriate for the species contained. All primary enclosures must be kept in good repair to contain the animal and prevent injury.

This inspection and exit interview were conducted with a facility representative.

Additional Inspectors:

KURT HAMMEL, VETERINARY MEDICAL OFFICER

Prepared By: CARRIE BONGARD

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

06-DEC-2022

Received by Title: Facility Representative

Date:

06-DEC-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
11268	34-C-0169	002	RICHARD EVOLA	06-DEC-2022

Count	Scientific Name	Common Name
000002	<i>Felis silvestris catus</i>	CAT ADULT
000005	<i>Callithrix jacchus</i>	COMMON MARMOSET
000005	<i>Chlorocebus aethiops</i>	AFRICAN GREEN MONKEY / GRIVET
000009	<i>Capra hircus</i>	DOMESTIC GOAT
000005	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000003	<i>Vulpes zerda</i>	FENNEC FOX
000004	<i>Hystrix africaeaustralis</i>	CAPE PORCUPINE
000006	<i>Camelus dromedarius</i>	DROMEDARY CAMEL
000005	<i>Lama glama</i>	LLAMA
000009	<i>Lama pacos</i>	ALPACA
000005	<i>Bos primigenius indicus</i>	ZEBU
000006	<i>Lemur catta</i>	RING-TAILED LEMUR
000001	<i>Equus quagga</i>	BURCHELL'S / GRANT'S / CHAPMAN'S / PLAINS ZEBRA
000001	<i>Camelus bactrianus</i>	BACTRIAN CAMEL
000002	<i>Hydrochaeris hydrochaeris</i>	CAPYBARA
000003	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000002	<i>Osphranter rufus</i>	RED KANGAROO
000002	<i>Leptailurus serval</i>	SERVAL
000001	<i>Boselaphus tragocamelus</i>	NILGAI
000001	<i>Notamacropus rufogriseus</i>	BENNETT'S WALLABY / RED-NECKED WALLABY
000077	Total	