



Inspection Report

Carol Fry
140 Fox Lane
Lockhart, TX 78644

Customer ID: **331168**
Certificate: **74-C-0987**
Site: 001
Carol Fry

Type: ROUTINE INSPECTION
Date: 13-MAY-2016

3.56(c)

SANITATION.

There is a build up of dirt on the PVC pipe water lines and support poles for the rabbit enclosures. The refrigerator shelves are coated with debris and discarded syringes, Frequent cleaning of the outside of enclosures and storage areas for medications is important for maintaining good animal health and well being. Premises (buildings and grounds) shall be kept clean and in good repair in order to protect the animals from injury and to facilitate the prescribed husbandry practices .

CORRECT BY : 5-20-16

The inspection and exit briefing was conducted by Dr. Pannill - USDA with the owner ,

Prepared By: ELIZABETH PANNILL, D V M USDA, APHIS, Animal Care

Date:
13-MAY-2016

Title: VETERINARY MEDICAL OFFICER 4018

Received by Title: OWNER

Date:
13-MAY-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
331168	74-C-0987	001	Carol Fry	13-MAY-16

Count	Scientific Name	Common Name
000001	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000013	<i>Capra hircus</i>	DOMESTIC GOAT
000050	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000022	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000005	<i>Sus domestica</i>	DOMESTIC PIG
000091	Total	