



## Inspection Report

Jeff Alsup  
3029 Meadow Court  
Springfield, TN 37172

Customer ID: **34199**  
Certificate: **63-C-0260**  
Site: 001  
JEFF ALSUP

Type: ROUTINE INSPECTION  
Date: 18-APR-2017

### 2.40(a)(1)

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The written program of veterinary care (PVC) form signed by the facility owner on 4/6/16 has not been completed by the attending veterinarian. The attending veterinarian did sign the addendum/signature page on 4/6/16 but did not identify the frequency of vet visits to the facility, sign the PVC or include any written instructions for veterinary care. A written program of veterinary care is essential to ensure that preventative health care and emergency care for the animals are agreed upon by the attending veterinarian and the facility owner. Formal arrangements between the attending veterinarian and the exhibitor shall include a written program of veterinary care and regularly scheduled visits to the premises. Correct by 4/30/17.

### 2.40(b)(2)

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

One female brown and white goat was noted to have a thin haircoat over her back, sides and the outside of her rear legs. The skin visible on her abdomen appeared pinker than normal. In addition she was noted frequently licking at her flanks and scratching at her ears/neck. Itching and hair loss can be symptoms of several conditions some of which may be contagious. The goats need to be examined by a veterinarian to ensure that a diagnosis is made regarding the itching and hairloss and that a treatment plan is instituted. Correct by 4/30/17.

### 3.55 REPEAT

#### WATERING.

The water receptacle for the rabbits is dirty and requires cleaning and sanitizing. There is a visible green layer of algae and growth along sides and bottom of the water pan. There is small amount of greenish debris floating on the top surface of the water. Drinking contaminated water can lead to disease and illness or may cause animals to stop drinking leading to dehydration. All water receptacles must be cleaned and sanitized when dirty and at least once every 2 weeks.

### 3.130(c) REPEAT

Prepared By: BRUNKHORST SUSANNE, D V M USDA, APHIS, Animal Care

Date:  
18-APR-2017

Title: VETERINARY MEDICAL OFFICER 1076

Received by Title: FACILITY REPRESENTATIVE

Date:  
18-APR-2017



## Inspection Report

---

### **WATERING.**

The water receptacles for the sheep enclosure housing two sheep is in need of cleaning. The sides and bottom surfaces are coated with a green brown slimy material. Debris and animal fur is floating on the surface of the water. Drinking contaminated water can lead to disease and illness or may cause the animals to stop drinking water leading to dehydration. All water receptacles shall be kept clean and sanitary.

This inspection and exit interview were conducted with undersigned facility representative.

---

**Prepared By:** BRUNKHORST SUSANNE, D V M USDA, APHIS, Animal Care

**Date:**  
18-APR-2017

**Title:** VETERINARY MEDICAL OFFICER 1076

**Received by Title:** FACILITY REPRESENTATIVE

**Date:**  
18-APR-2017



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
34199	63-C-0260	001	JEFF ALSUP	18-APR-17

Count	Scientific Name	Common Name
000004	<i>Capra hircus</i>	DOMESTIC GOAT
000004	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000002	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000012	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000022</b>	<b>Total</b>	