



Inspection Report

Madison Area Technical College
1701 Wright Street
Madison, WI 53704

Customer ID: 617

Certificate: 35-R-0016

Site: 001

MADISON AREA TECHNICAL COLLEGE

Type: ROUTINE INSPECTION

Date: 18-FEB-2016

3.127(c)

FACILITIES, OUTDOOR.

Drainage.

The outdoor paddock area for the teaching horses lacks adequate drainage. There was a puddle of water that took up most of the center of the paddock, leaving only the corners of the paddock and a narrow space on the edges for horses to stand out of water. Water pooling in colder months could cause slick/icy spots which may be hazardous for horses. In warmer months, poorly drained animal areas could increase animals' risks for parasite and disease transmission. To protect the safety and health of the animals, the facility must ensure methods are in place to rapidly eliminate excess water.

Correct by 3/18/2016

Exit interview conducted with facility representative.

Prepared By: SCOTT WELCH, D V M USDA, APHIS, Animal Care

Date:
18-FEB-2016

Title: VETERINARY MEDICAL OFFICER 6046

Received by Title: SENIOR LABORATORY COORDINATOR

Date:
18-FEB-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
617	35-R-0016	001	MADISON AREA TECHNICAL COLLEGE	18-FEB-16

Count	Scientific Name	Common Name
000012	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000012	<i>Canis lupus familiaris</i>	DOG ADULT
000008	<i>Capra hircus</i>	DOMESTIC GOAT
000007	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000004	<i>Equus caballus</i>	DOMESTIC HORSE
000024	<i>Felis silvestris catus</i>	CAT ADULT
000004	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000003	<i>Sus domestica</i>	DOMESTIC PIG
000074	Total	