



Inspection Report

Linvilla Orchards Inc.
137 W KNOWLTON ROAD
MEDIA, PA 19063

Customer ID: **2284**
Certificate: **23-C-0401**
Site: 001
LINVILLA ORCHARDS, INC

Type: ROUTINE INSPECTION
Date: 27-SEP-2023

2.131(d)(2)

Handling of animals.

The facility does not have an attendant available in the deer and goat areas to observe the public interactions with the animals. During the inspection, numerous members of the public were observed feeding and making contact with the deer and the goats, but there wasn't an attendant available. When the inspector asked if the facility has an attendant to observe the interactions, the facility representative stated that they have an attendant available for the busy weekends, but they do not have an attendant for each day they are open.

The lack of a readily identifiable attendant to observe the animals and public can allow for unintended interactions which could lead to harm to the animals or members of the public.

A responsible, knowledgeable, and readily identifiable employee or attendant must be present at all times during periods of public contact.

Correct by: October 18, 2023.

3.153(a)

Primary enclosures.

The following enclosures are in need of repair:

- There is chicken wire with protruding sharp points near the corners and sides on the inside of the primary enclosure fence for the 2 turkeys and 4 peacocks.
- The middle chicken enclosure has wire mesh with broken and protruding wire with sharp points on the two large elevated shelters.
- In the duck enclosures there are various pieces of equipment and trash shattered around the pond. In addition, there is a broken, wooden barrel with a dead, fallen tree in this enclosure.

Failure to maintain enclosures, fencing, and shelters can allow for unstable structures or sharp points which can result in injury to the animals. Primary enclosures must be constructed of suitable materials so that they are structurally sound. The primary enclosures must be kept in good repair.

Correct by: October 4, 2023.

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
27-SEP-2023

Received by Title: Facility Representative

Date:
27-SEP-2023



Inspection Report

3.156

Repeat

Watering

The black water tub in the enclosure housing the 2 turkeys and 4 peacocks had decaying leaves, dirt, and debris on the bottom of the container. The water receptacle for the 30 quail had algae growth covering the pan. The water in these two enclosures was clear, but the receptacles need to be cleaned.

Failure to keep water receptacles clean can result in disease hazards and possible illness. Water receptacles must be kept clean and sanitized as often as necessary to prevent contamination. Licensee must provide potable water to all birds, keep water receptacles clean and sanitary to protect the health of the birds.

This inspection and exit interview were conducted with the facility representative.

Additional Inspectors:

AMY NOOYEN, VETERINARY MEDICAL OFFICER

Prepared By: ROBERT MARKMANN
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
27-SEP-2023

Received by Title: Facility Representative

Date:
27-SEP-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2284	23-C-0401	001	LINVILLA ORCHARDS, INC	27-SEP-2023

Count	Scientific Name	Common Name
000007	<i>Capra hircus</i>	DOMESTIC GOAT
000006	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000007	<i>Odocoileus virginianus</i>	WHITE-TAILED DEER
000003	<i>Meleagris gallopavo domesticus</i>	DOMESTIC TURKEY
000004	<i>Pavo cristatus</i>	INDIAN PEA FOWL / COMMON PEA FOWL / PEA HEN / PEACOCK
000195	<i>Gallus gallus domesticus</i>	DOMESTIC CHICKEN (INCLUDING ALL DOMESTIC BREEDS / TURKIN / COCK / HEN / ROOSTER)
000021	<i>Anas platyrhynchos domesticus</i>	DOMESTIC DUCK INCLUDING ALL DOMESTIC BREEDS
000030	<i>Coturnix coturnix</i>	COMMON QUAIL / EUROPEAN QUAIL
000273	Total	