



Inspection Report

Jesse Kropf
Melissa Kropf
2037 County Road 702
Berryville, AR 72616

Customer ID: **335207**
Certificate: **71-A-1368**
Site: 001
JESSE KROPF

Type: ROUTINE INSPECTION
Date: 27-FEB-2020

3.4(b)

OUTDOOR HOUSING FACILITIES.

In 6 enclosures, 9 adult dogs and 1 puppy lacked sufficient outdoor shelters. The ambient outdoor temperature at the time of inspection was approximately 45F. The temperature in the kennel was approximately 51-52F. The facility consists of a pole barn type structure with a roof, 2 solid, permanent walls on opposite ends, and a cement floor that is heated by a boiler. During the winter, the licensee hangs plastic to cover the open air walls and enclose the structure. The licensee was notified at the previous inspection that his facility is classified as an outdoor facility and he would need to add shelters to each of the enclosures. Shelters are a vital component in outdoor facilities to provide warmth and comfort to the animals. Without them, exposure to extreme temperatures can stress the animals and threaten their health and welfare. Correct by providing shelters sufficiently large to allow each animal in the enclosure to fit and maintain normal, comfortable body posture. Correct within 60 days.

This inspection and exit interview were conducted with the licensee.

Prepared By: JERNIGAN COURTNEY, D V M USDA, APHIS, Animal Care

Date:
28-FEB-2020

Title: VETERINARY MEDICAL OFFICER 6124

Received by Title: SENT VIA EMAIL

Date:
28-FEB-2020



Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|-------------|------------|
| 335207 | 71-A-1368 | 001 | JESSE KROPF | 27-FEB-20 |

| Count | Scientific Name | Common Name |
|---------------|-------------------------------|-------------|
| 000018 | <i>Canis lupus familiaris</i> | DOG ADULT |
| 000008 | <i>Canis lupus familiaris</i> | DOG PUPPY |
| 000026 | Total | |