



Inspection Report

Pam Sweeney
27218 Apache Trail
Magnolia, TX 77354

Customer ID: **29914**
Certificate: **74-C-0835**
Site: 002
Pam Sweeney

Type: ROUTINE INSPECTION
Date: 28-SEP-2015

3.130

WATERING.

Inside the porcupine enclosure, the watering receptacle has an accumulation of green material covering the inside of the watering receptacle. Dirty water may harbor disease hazards which may pose a health risk for the animals. All water receptacles shall be kept clean and sanitary.

Correct from this day forward.

Inspection and exit interview conducted by APHIS personnel with licensee.

Prepared By: BRYAN IRWIN, C S USDA, APHIS, Animal Care

Date:
29-SEP-2015

Title: COMPLIANCE SPECIALIST 6081

Received by Title: SENT BY EMAIL

Date:
29-SEP-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
29914	74-C-0835	002	Pam Sweeney	28-SEP-15

Count	Scientific Name	Common Name
000002	<i>Callithrix jacchus</i>	COMMON MARMOSET
000001	<i>Camelus dromedarius domestic</i>	DOMESTIC DROMEDARY CAMEL
000001	<i>Choloepus hoffmanni</i>	HOFFMANN'S TWO-TOED SLOTH
000002	<i>Dolichotis patagonum</i>	PATAGONIAN CAVY / MARA
000002	<i>Eulemur fulvus</i>	COMMON BROWN LEMUR
000002	<i>Hystrix africaeaustralis</i>	CAPE PORCUPINE
000005	<i>Lemur catta</i>	RING-TAILED LEMUR
000002	<i>Nasua nasua</i>	SOUTH AMERICAN COATI
000000	None	NONE
000001	<i>Osphranter bernardus</i>	BERNARD'S WALLAROO / BLACK WALLAROO
000001	<i>Osphranter rufus</i>	RED KANGAROO
000002	<i>Saguinus oedipus</i>	COTTON-TOP TAMARIN
000002	<i>Varecia rubra</i>	RED RUFFED LEMUR
000002	<i>Varecia variegata</i>	BLACK-AND-WHITE RUFFED LEMUR
000025	Total	