



Inspection Report

Nancy C Carlson
Thomas J Carlson
1841 250th Street
Rockwell City, IA 50579

Customer ID: **20344**
Certificate: **42-A-0954**
Site: 001
THOMAS J. OR NANCY C. CARLSON

Type: ROUTINE INSPECTION
Date: 13-APR-2017

3.6(a)(2)(x)

PRIMARY ENCLOSURES.

In the whelping area of the residence two enclosures had puppies with their feet through the mesh flooring. One enclosure housing a female Maltese and her three puppies had one puppy with at least two feet/legs through the mesh flooring. The second enclosure housing a female Chin and her four puppies had two puppies with at least two feet/legs through the mesh flooring. The licensee corrected the situation at the time of the inspection by placing solid floored whelping boxes in the enclosures.

Feet passing through mesh or slatted flooring can cause injuries to the legs of all ages of dogs, and puppies not to be able to nurse. All enclosures must have floors constructed in a manner that protects the dogs' feet and legs from injury, and that, if of mesh or slatted construction, do not allow the dogs' feet to pass through any openings in the floor.

TO BE CORRECTED: From this time forward.

This inspection and exit interview were conducted with licensees and ACI Bartels.

Prepared By: BARTELS MARY, A C I USDA, APHIS, Animal Care

Date:
14-APR-2017

Title: ANIMAL CARE INSPECTOR 6090

Received by Title: EMAILED

Date:
14-APR-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
20344	42-A-0954	001	THOMAS J. OR NANCY C. CARLSON	13-APR-17

Count	Scientific Name	Common Name
000143	<i>Canis lupus familiaris</i>	DOG ADULT
000059	<i>Canis lupus familiaris</i>	DOG PUPPY
000202	Total	