



## Inspection Report

---

Alison Hawkins  
427681 E 1845 Rd  
Finley, OK 74543

Customer ID: **25223**  
Certificate: **73-A-2145**  
Site: 001  
ALISON HAWKINS

Type: ROUTINE INSPECTION  
Date: 29-JAN-2015

---

### 3.6(a)(1)

#### PRIMARY ENCLOSURES.

On the south building the east side has a center washdown that is part of the structural strength of the kennel. as the cages are attached to the washdown. There is a broken spot on the middle upright pipe where the washdown is broken loose. this has let the bottom row of cages sag down and the upper washdown is curved twisted with a lot of pressure on the plastic structure. This needs to be kept in good repair at all times.

This needs to be corrected to maintain the structural strength of the kennel and to protect the animals from injury.  
To be corrected by February 8 2015

Exit interview conducted with facility representative.

---

Prepared By: JERRY WEST, A C I USDA, APHIS, Animal Care

Date:  
06-FEB-2015

Title: ANIMAL CARE INSPECTOR 4056

Received by Title: SENT BY EMAIL

Date:  
06-FEB-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
25223	73-A-2145	001	ALISON HAWKINS	29-JAN-15

Count	Scientific Name	Common Name
000070	<i>Canis lupus familiaris</i>	DOG ADULT
000054	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000124</b>	<b>Total</b>	