



## Inspection Report

---

Arbuckle Adventures LLC  
6132 KAY STARR TRAIL  
DAVIS, OK 73030

Customer ID: **324698**

Certificate: **73-C-0190**

Site: 001

ARBUCKLE ADVENTURES LLC

Type: ROUTINE INSPECTION

Date: 27-MAR-2024

---

### 3.125(a)

#### Repeat

#### Facilities, general.

In an enclosure housing three Patagonian caviest there is a wall on the right-hand side as you walk in that is covered in chicken wire. This wire has peeled loose at the bottom, exposing multiple sharp points that pose an injury risk for the animals contained within. The sharp points need to be removed or secured. The licensee should ensure that all surfaces are maintained and kept in good repair at all times in order to protect the animals from potential injuries. Corrected at the time of the inspection.

In the Jacob's sheep enclosure, the barn used for shelter during inclement weather is in need of immediate repair. The edges and center section of the four by eight sheet of plywood on the outside wall that faces the public drive thru portion of the park, have been chewed and roughened by the sheep. Towards the front opening of barn, there is a hole that has been created by the sheep from chewing through the plywood. This hole is round in shape and approximately twelve inches across at its largest point. Nineteen animals are in contact with the affected surfaces. The integrity and structural strength of all chewed wood surfaces are affected. The potential exists for the splintered wood ends to become ingested causing potential digestion problems. Also, on the back/rear portion of the barn there are two round, metal pipes about one to two inches in diameter protruding approximately twelve to twenty-four inches out into the opening of the enclosure from behind the barn. These protruding, exposed pipes could cause a serious injury to the sheep. The licensee must ensure all surfaces are structurally sound and maintained in good repair at all times. Corrected at the time of the inspection.

### 3.131(a)

#### Sanitation.

In an outdoor enclosure housing three caviest, there was an accumulation of feces just outside of the wire at the bottom of the enclosure. The pile of feces was also spilling over and falling into the covered portion of the cavy enclosure and coming into contact with the animals. Excreta and feces shall be removed from primary enclosures as often as necessary to prevent contamination of the animals contained therein and to minimize disease hazards and to reduce odors. The licensee is to ensure that an adequate cleaning and sanitization schedule is maintained at all times. Corrected at the time of the inspection.

### 3.153(a)(1)(ii)

#### Repeat

#### Primary enclosures.

---

Prepared By: BRITTANY LIGHT

USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR

Date:

28-MAR-2024

Received by Title: Licensee

Date:

28-MAR-2024



## Inspection Report

---

In an enclosure housing two male peacocks there was an electric extension cord draped and hanging down into the enclosure where the peacocks had access to it. It was not plugged in or being used at the time, but still provided a risk for injury to the birds contained. Power cords or extension cords should be protected securely or in a location that the birds cannot access. The facility must ensure that the enclosure is safe for the animals at all times. Corrected at the time of the inspection.

**3.156**

**Repeat**

### **Watering**

In an outdoor enclosure housing two ring-necked pheasants, the water receptacle had an algae looking substance in it. You could not visualize the bottom of the receptacle through the drinking water. Contaminated water that is no longer potable could lead to potential health risks. Water receptacles containing an algae looking substance indicates a lack of cleaning and sanitation. They must be sanitized as often as necessary to prevent an accumulation of dirt, debris, food waste, excreta, and other disease hazards. The licensee must ensure all water receptacles are cleaned and sanitized more often for the health and well-being of the birds at all times. Corrected at the time of the inspection.

**3.157(a)**

### **Water quality.**

In an outdoor enclosure housing two emus, the cement pond/pool that was in the center of the enclosure had an algae looking substance in it. The water was a very dark, greenish brown color. You could not visualize the light blue concrete bottom of the pond/pool through the water. Contaminated water that is no longer potable could lead to potential health risks. The emus had access to clean drinking water located in a different receptacle, but an emu was observed drinking from the contaminated pond/pool during the inspection. This water feature can be detrimental to the health of the birds contained therein. Pools or ponds containing water with an algae looking substance indicates a lack of adequate cleaning and sanitization. They must be sanitized as often as necessary to prevent an accumulation of dirt, debris, food waste, excreta, and other disease hazards. The licensee must ensure all water receptacles and water features are cleaned and sanitized more often for the health and well-being of the birds at all times. Corrected at the time of the inspection.

This inspection and exit interview were conducted with the facility representative.

---

**Prepared By:** BRITTANY LIGHT

USDA, APHIS, Animal Care

**Title:** ANIMAL CARE INSPECTOR

**Date:**

28-MAR-2024

**Received by Title:** Licensee

**Date:**

28-MAR-2024



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
324698	73-C-0190	001	ARBUCKLE ADVENTURES LLC	27-MAR-2024

Count	Scientific Name	Common Name
000003	<i>Dolichotis patagonum</i>	PATAGONIAN CAVY / MARA
000001	<i>Lemur catta</i>	RING-TAILED LEMUR
000002	<i>Dromaius novaehollandiae</i>	EMU
000002	<i>Pavo muticus</i>	GREEN PEA FOWL / INDONESIAN PEA FOWL / PEAHEN / PEACOCK
000001	<i>Potos flavus</i>	KINKAJOU
000002	<i>Phasianus colchicus</i>	RING-NECKED PHEASANT / COMMON PHEASANT
000030	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000002	<i>Equus caballus</i>	DOMESTIC HORSE
000001	<i>Ceratotherium simum</i>	WHITE RHINOCEROS
000002	<i>Canis lupus</i>	GRAY WOLF / GREY WOLF / TIMBER WOLF
000001	<i>Osphranter rufus</i>	RED KANGAROO
000001	<i>Crocuta crocuta</i>	SPOTTED HYENA
000002	<i>Taurotragus oryx</i>	COMMON ELAND
000003	<i>Boselaphus tragocamelus</i>	NILGAI
000001	<i>Equus quagga</i>	BURCHELL'S / GRANT'S / CHAPMAN'S / PLAINS ZEBRA
000008	<i>Struthio camelus</i>	COMMON OSTRICH
000001	<i>Panthera tigris</i>	TIGER
000001	<i>Giraffa camelopardalis</i>	GIRAFFE
000009	<i>Bison bison</i>	AMERICAN BISON
000004	<i>Bubalus bubalis</i>	ASIATIC WATER BUFFALO
000001	<i>Amazona oratrix</i>	YELLOW-HEADED PARROT / YELLOW-HEADED AMAZON / DOUBLE YELLOW-HEADED AMAZON
000005	<i>Bos primigenius indicus</i>	ZEBU
000001	<i>Bos grunniens</i>	YAK
000003	<i>Lama pacos</i>	ALPACA
000001	<i>Dama dama</i>	FALLOW DEER
000021	<i>Lama glama</i>	LLAMA
000027	<i>Elaphurus davidianus</i>	PERE DAVID'S DEER
000009	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000051	<i>Equus asinus asinus</i>	DONKEY / BURRO / ASS
000002	<i>Equus caballus przewalskii</i>	PRZEWALSKI'S WILD HORSE
000002	<i>Notamacropus rufogriseus</i>	BENNETT'S WALLABY / RED-NECKED WALLABY
000200	<b>Total</b>	



**Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
324698	73-C-0190	001	ARBUCKLE ADVENTURES LLC	27-MAR-2024