



Inspection Report

John Eric Danker
30224 227th Street
Bonaparte, IA 52620

Customer ID: **5407**
Certificate: **42-A-1462**
Site: 002
JOHN ERIC DANKER

Type: ROUTINE INSPECTION
Date: 19-NOV-2014

3.4(b)(4) DIRECT

OUTDOOR HOUSING FACILITIES.

None of the shelters within the outdoor housing facility contain bedding. The temperature recorded at approximately 5:30 p.m. within the outdoor facility is 29.6 degrees Fahrenheit, according to the inspectors Kestrel device. According to the National Weather Service, the low temperature last night was 22 degrees Fahrenheit and the low for tonight will be 14 degrees Fahrenheit. There are a total of 54 dogs in the affected enclosures. Failure to provide clean, dry bedding within dog shelters does not ensure the animals can remain warm and dry during low temperatures which can lead to health hazards for the animals. Shelters for dogs must contain clean, dry bedding material if the ambient temperature is below 50 degrees Fahrenheit. Additional clean, dry bedding is required when the temperature is 35 degrees Fahrenheit or lower. The licensee needs to provide sufficient bedding for all outdoor shelters.

To be corrected by: November 19, 2014 by 8:30 PM.

3.4(b) DIRECT

OUTDOOR HOUSING FACILITIES.

Shelter from the elements.

The temperature recorded at approximately 5:30 p.m. within the outdoor facility is 29.6 degrees Fahrenheit,

Prepared By: CORBIN RANSLEM, A C I USDA, APHIS, Animal Care

Date:
19-NOV-2014

Title: ANIMAL CARE INSPECTOR 6079

Received by Title: LICENSEE

Date:
19-NOV-2014



Inspection Report

according to the inspectors Kestrel device. According to the National Weather Service, the low temperature last night was 22 degrees Fahrenheit and the low for tonight will be 14 degrees Fahrenheit. There are five enclosures with a total of 14 dogs that do not have access to a shelter. Shelters are required to help animals conserve heat and to provide for the health and well-being of the animals in extreme temperatures. Outdoor facilities for dogs must include a shelter that is accessible to each animal, and is large enough to allow each animal in the shelter structure to sit, stand, and lie in a normal manner, and to turn about freely. The owner must provide a proper shelter structure for all dogs.

To be corrected by: November 19, 2014 by 8:30 PM.

Exit interview conducted with licensee.

Prepared By: CORBIN RANSLEM, A C I USDA, APHIS, Animal Care

Date:
19-NOV-2014

Title: ANIMAL CARE INSPECTOR 6079

Received by Title: LICENSEE

Date:
19-NOV-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
5407	42-A-1462	002	JOHN ERIC DANKER	19-NOV-14

Count	Scientific Name	Common Name
000104	<i>Canis lupus familiaris</i>	DOG ADULT
000025	<i>Canis lupus familiaris</i>	DOG PUPPY
000129	Total	