



## Inspection Report

---

Richard Augustus Mazzola  
25634 N E 80th Street  
Redmond, WA 98053

Customer ID: **332602**

Certificate: **91-C-0150**

Site: 001

RICHARD AUGUSTUS MAZZOLA

Type: ROUTINE INSPECTION

Date: 03-OCT-2019

---

### 3.125(a)

#### FACILITIES, GENERAL.

The paddock for the camel has an outer fence that is eight feet in height. Within this paddock, there is a single strand of braided cord electrified wire located 3 feet from the fence. This electric wire has fallen down, and is lying on the ground adjacent to the barn. In addition, the overlaid wire on the outer wooden fence has come loose from the fence posts creating gaps at the top of the fence.

The fencing for the camel must be maintained in good repair to protect the animal from injury and to contain the animal. The fencing must be repaired.

Correct by: October 10, 2019

This inspection and exit briefing were conducted with the facility representative.

---

Prepared By: FORBES DIANE, D V M USDA, APHIS, Animal Care

Date:  
04-OCT-2019

Title: VETERINARY MEDICAL OFFICER 5053

Received by Title: LICENSEE

Date:  
04-OCT-2019



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
332602	91-C-0150	001	RICHARD AUGUSTUS MAZZOLA	03-OCT-19

Count	Scientific Name	Common Name
000001	<i>Atelerix albiventris</i>	FOUR-TOED HEDGEHOG (MOST COMMON PET HEDGEHOG)
000001	<i>Bos taurus</i>	CATTLE / COW / OX / WATUSI
000001	<i>Camelus dromedarius</i>	DROMEDARY CAMEL
000004	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Chinchilla lanigera</i>	CHINCHILLA (DOMESTICATED)
000001	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000001	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
<b>000010</b>	<b>Total</b>	