



## Inspection Report

---

Linda Andersen  
87858 528 Avenue  
Winnetoon, NE 68789

Customer ID: **5028**  
Certificate: **47-A-0207**  
Site: 001  
LINDA ANDERSEN

Type: ROUTINE INSPECTION  
Date: 21-JAN-2015

---

### 3.1(c)(2)

#### HOUSING FACILITIES, GENERAL.

Several self-feeders in the sheltered building have roughened, chewed tops. One receptacle has a large crack on the back side running about two-thirds of the way down from the top.

Chewed, roughened, or cracked surfaces cannot be easily sanitized to prevent disease hazards.

The licensee must have these feeders repaired or replaced. All surfaces must be maintained on a regular basis, and if they cannot be effectively sanitized, must be replaced.

To be corrected by February 11, 2015.

Exit interview conducted with facility representative.

---

Prepared By: LYNN CLARKE, A C I USDA, APHIS, Animal Care

Date:  
21-JAN-2015

Title: ANIMAL CARE INSPECTOR 6074

Received by Title: SENT VIA EMAIL

Date:  
21-JAN-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
5028	47-A-0207	001	LINDA ANDERSEN	21-JAN-15

Count	Scientific Name	Common Name
000072	<i>Canis lupus familiaris</i>	DOG ADULT
000014	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000086</b>	<b>Total</b>	