



Inspection Report

Pets Paradise
2632 N. 37th Drive Ste #3
Phoenix, AZ 85009

Customer ID: **3378**
Certificate: **86-B-0037**
Site: 004
PETS PARADISE

Type: ROUTINE INSPECTION
Date: 23-JAN-2018

3.26(a)

FACILITIES, INDOOR.

The building's temperature inside during the inspection was 58 degrees Fahrenheit (F). While the guinea pigs, hamsters, gerbils, and ferret aren't displaying signs of being cold today, it was colder 3 days ago, with a low in the 30's at night. Cold temperatures may cause discomfort to animals and increase risk for health problems. The facility must install a heater or take other measures that do not allow the indoor temperature to fall below 60 degrees F.

The licensee must provide enough heat in the animal area to provide a minimum temperature of 60 degrees F and to not exceed 85 degrees F.

Date to be Corrected: January 26, 2018

This inspection and exit interview were conducted with the facility representative.

Prepared By: SISMOUR NAOMI, D V M USDA, APHIS, Animal Care

Date:
23-JAN-2018

Title: VETERINARY MEDICAL OFFICER 6121

Received by Title: SENT VIA EMAIL

Date:
23-JAN-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3378	86-B-0037	004	PETS PARADISE	23-JAN-18

Count	Scientific Name	Common Name
000003	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000031	<i>Meriones unguiculatus</i>	MONGOLIAN GERBIL (COMMON PET / RESEARCH VARIETY)
000248	<i>Mesocricetus auratus</i>	SYRIAN / GOLDEN HAMSTER (COMMON PET/RESEARCH TYPE)
000001	<i>Mustela putorius furo</i>	DOMESTIC FERRET
000053	<i>Phodopus campbelli</i>	CAMPBELL'S DESERT HAMSTER / RUSSIAN HAMSTER
000030	<i>Phodopus roborovskii</i>	ROBOROVSKI'S DWARF HAMSTER
000366	Total	