



Inspection Report

Tamara S Schanzenbach
308 Main Street
Mobridge, SD 57601

Customer ID: **10378**

Certificate: **46-B-0065**

Site: 001

TAMARA SCHANZENBACH

Type: ROUTINE INSPECTION

Date: 13-FEB-2017

3.30

WATERING.

A cage housing two guinea pigs has a water bottle with green material covering the insides. The licensee stated that the water bottles probably hadn't been scrubbed as often as needed.

The availability of clean water receptacles are essential for promoting good health and reducing the risk of disease. All water receptacles provided for the animals shall be kept clean and sanitized when dirty, provided however, that such receptacles are sanitized at least every two weeks.

To be corrected by February 16th, 2017.

3.55

WATERING.

A cage housing two rabbits in the grooming room and a cage housing five rabbits in the main pet store area have water bottles provided for the animals. The insides of the water bottles are covered with a green material and the water is cloudy. The licensee stated that the water bottles probably hadn't been scrubbed as often as needed.

The availability of clean water receptacles are essential for promoting good health and reducing the risk of disease. All water receptacles provided for the animals shall be kept clean and sanitized when dirty, provided however, that such receptacles are sanitized at least every two weeks.

To be corrected by February 16th, 2017.

3.125(a)

FACILITIES, GENERAL.

The enclosure housing a squirrel has surfaces that are chewed and scratched and are no longer being kept in good repair.

Indoor housing facilities shall be structurally sound and kept in good repair. These surfaces need to be repaired or replaced to protect the animal from injury and to allow for proper cleaning and sanitizing.

To be corrected by February 28th, 2017.

Prepared By: JIRSA-SMITH AMY, A C I USDA, APHIS, Animal Care

Date:
15-FEB-2017

Title: ANIMAL CARE INSPECTOR 5046

Received by Title: SENT BY EMAIL

Date:
15-FEB-2017



Inspection Report

3.130

WATERING.

A cage housing two sugar gliders has a water bottle with a green material covering the insides. The licensee stated that the water bottles probably hadn't been scrubbed as often as needed.

The availability of clean water receptacles are essential for promoting good health and reducing the risk of disease. All water receptacles provided for the animals shall be kept clean and sanitized when dirty, provided however, that such receptacles are sanitized at least every two weeks.

To be corrected by February 16th, 2017.

This inspection and exit interview were conducted with the owner.

Prepared By: JIRSA-SMITH AMY, A C I USDA, APHIS, Animal Care

Date:
15-FEB-2017

Title: ANIMAL CARE INSPECTOR 5046

Received by Title: SENT BY EMAIL

Date:
15-FEB-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
10378	46-B-0065	001	TAMARA SCHANZENBACH	13-FEB-17

Count	Scientific Name	Common Name
000006	<i>Canis lupus familiaris</i>	DOG ADULT
000008	<i>Canis lupus familiaris</i>	DOG PUPPY
000003	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000006	<i>Chinchilla brevicaudata</i>	CHINCHILLA
000018	<i>Felis silvestris catus</i>	CAT ADULT
000001	<i>Funisciurus pyrropus</i>	FIRE-FOOTED ROPE SQUIRREL
000002	<i>Mustela putorius furo</i>	DOMESTIC FERRET
000015	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000003	<i>Petaurus breviceps</i>	SUGAR GLIDER
000003	<i>Phodopus campbelli</i>	CAMPBELLS DWARF HAMSTER
000065	Total	