



Inspection Report

Connie Fahey
2050 N 270th Road
Clyde, KS 66938

Customer ID: 4251
Certificate: 48-A-2194
Site: 001
CONNIE FAHEY

Type: ROUTINE INSPECTION
Date: 17-APR-2018

3.1(a) REPEAT

HOUSING FACILITIES, GENERAL.

Carpet squares in four enclosures in the small dog sheltered building (including whelping cages with puppies) were worn and unraveling along the edges with long strings dangling from carpet edges. Strings hanging from rugs can become wrapped around the legs of puppies causing pain, injury or even amputation. This licensee must ensure that housing facilities for dogs be designed and constructed so that they are structurally sound. They must be kept in good repair, and they must protect the animals from injury. This includes safe enclosure spaces including carpet squares.

3.3(d)

SHELTERED HOUSING FACILITIES.

One enclosure in the small dog sheltered building is currently housing seven small breed dogs. By the inspectors' observation, there was not enough room for all seven dogs to occupy the indoor area at the same time and have the ability to make normal postural adjustments. Inability to access the indoor portion of the sheltered building can result in discomfort as some of the dogs will be exposed to the elements. Dogs and cats must be provided with adequate shelter from the elements at all times to protect their health and well-being. The shelter structures must be large enough to allow each animal to sit, stand, and lie in a normal manner and to turn about freely. Corrected at time of inspection.

3.4(b)(4) REPEAT

OUTDOOR HOUSING FACILITIES.

Two outdoor enclosures housing a total of four dogs do not have bedding in the shelter structures. These dogs were in these enclosures last night. At the time of inspection (approximately 10 am), the inspector's Kestrel thermometer registered the ambient temperature at 51.6 degrees F. However, when searching for the licensee's zip code in noaa.gov, the recorded low temperature last night was 35 degrees F. Lack of bedding in cold weather can result in dogs that cannot maintain a safe body temperature and is uncomfortable. The licensee must ensure that outdoor shelter structures contain clean, dry, bedding material if the ambient temperature is below 50 degrees F. Additional clean, dry bedding is required when the temperature is 35 degrees F or lower.

Prepared By: SHAVER MARGARET, D V M USDA, APHIS, Animal Care

Date:
17-APR-2018

Title: VETERINARY MEDICAL OFFICER 6034

Received by Title: LICENSEE

Date:
17-APR-2018



Inspection Report

This inspection and exit interview were conducted with the licensee.

Additional Inspectors

Greenough Faron, Compliance Specialist

Prepared By: SHAVER MARGARET, D V M USDA, APHIS, Animal Care

Date:
17-APR-2018

Title: VETERINARY MEDICAL OFFICER 6034

Received by Title: LICENSEE

Date:
17-APR-2018



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
4251	48-A-2194	001	CONNIE FAHEY	17-APR-18

Count	Scientific Name	Common Name
000058	<i>Canis lupus familiaris</i>	DOG ADULT
000021	<i>Canis lupus familiaris</i>	DOG PUPPY
000079	Total	