



## Inspection Report

Charlene Koster  
Darlene Koster  
532 K 106  
Minneapolis, KS 67467

Customer ID: **6013**  
Certificate: **48-B-0271**  
Site: 001  
Charlene Koster, Darlene Koster

Type: ROUTINE INSPECTION  
Date: 11-AUG-2014

### 2.40(b)(2) REPEAT

#### ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

The licensee is using "Cyonara Plus" (a fly repellent labeled for use in cattle) on the dogs in the facility for fly control. There is also a bottle of liquid neomycin in the large animal whelping building. There are no directions and approval for use on dogs from a licensed veterinarian for either of these medications. Inappropriate use can result in illness or injury. The licensee must ensure that all medications must be labeled and administered properly as part of the facility's program of adequate veterinary care.

### 3.1(a) REPEAT

#### HOUSING FACILITIES, GENERAL.

There is an enclosure in the large dog whelping building housing a Siberian husky mix dog and her puppies. There is a deep hole that has been dug in the ground of the outdoor portion of this enclosure that undermines both the fence and the building. The hole under the fence results in a gap between the fence and the ground. These holes could trap and injure the dogs including the puppies when they are large enough to access the outdoor part of the enclosure. There is also a hole in an outdoor enclosure housing 4 dogs on the north west side of the facility. This hole undermines the dirt, creating a small "cave like" hole. This could injure the dogs if it were to fall in on one of the dogs.

\*\*\*

There are cattle panels attached to a chain link fence as a patch in two enclosures housing Australian Shepherds. In both cases the panels are not well attached to the fence, leaving them loose and creating a gap between the panel and the fence. The loose panels could injure the dogs.

### 3.6(a)(2)(8)

#### PRIMARY ENCLOSURES.

The outdoor enclosure on the north west corner of the facility housing two golden retrievers has a muddy hole directly in front of the water receptacle. In order to access the water receptacle, the dogs must stand in the hole. The drop in the ground makes it more difficult for the dogs to access the water. The licensee must ensure that primary enclosures provide all the dogs and cats with easy and convenient access to clean food and water. To be

Prepared By: MARGARET SHAVER, D V M USDA, APHIS, Animal Care

Date:  
11-AUG-2014

Title: VETERINARY MEDICAL OFFICER 6034

Received by Title: LICENSEE

Date:  
11-AUG-2014



## Inspection Report

---

corrected by 15 August 2014.

### 3.6(a)(2)(10)

#### PRIMARY ENCLOSURES.

There is an enclosure housing six schnoodle puppies and their dam. The puppies' legs were seen passing through the openings in flooring material. Puppies whose feet can slip through openings in the floor are at risk for injury. The licensee must ensure that the floors of primary enclosures are constructed in a manner that protects the dogs' and cats' feet and legs from injury, and that, if of mesh or slatted construction, do not allow the dogs' and cats' feet to pass through any openings in the floor. Corrected during the inspection.

The inspection and exit interview were conducted with the licensee.

#### Additional Inspectors

Lundy Kendall, Animal Care Inspector

---

**Prepared By:** MARGARET SHAVER, D V M      USDA, APHIS, Animal Care

**Date:**  
11-AUG-2014

**Title:** VETERINARY MEDICAL OFFICER 6034

**Received by Title:** LICENSEE

**Date:**  
11-AUG-2014



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6013	48-B-0271	001	Charlene Koster, Darlene Koster	11-AUG-14

Count	Scientific Name	Common Name
000085	<i>Canis lupus familiaris</i>	DOG ADULT
000048	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000133</b>	<b>Total</b>	