



Inspection Report

Joseph G Fisher
856 Wesley Rd
Kirkwood, PA 17536

Customer ID: **501893**
Certificate: **23-A-0650**
Site: 001
JOSEPH G FISHER

Type: ROUTINE INSPECTION
Date: 30-SEP-2019

3.31(a)(1) REPEAT

SANITATION.

There is a buildup of brown roughened scale and debris on the floors and plastic sides of enclosures. Licensee stated that the guinea pig enclosures are being sanitized weekly. Additional measures are needed to remove organic matter, scale, and debris on floors and sides of enclosures prior to using a disinfectant. The accumulation of brown scale and debris exposes the guinea pigs to potential infections with bacteria, fungi, and parasites. Correct by ensuring that primary enclosures are clean and sanitized often enough to prevent and accumulation of scale and debris. Additionally, ensure that primary enclosures are sanitized at least once very two weeks.

This inspection and exit interview were conducted with the owner.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
30-SEP-2019

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
30-SEP-2019



Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|-----------------|------------|
| 501893 | 23-A-0650 | 001 | JOSEPH G FISHER | 30-SEP-19 |

| Count | Scientific Name | Common Name |
|---------------|------------------------|---------------------|
| 001002 | <i>Cavia porcellus</i> | DOMESTIC GUINEA PIG |
| 001002 | Total | |