



Inspection Report

Nature Park At The Shell Factory
2787 N Tamiami Trail
North Fort Myers, FL 33903

Customer ID: **27537**

Certificate: **58-C-0813**

Site: 001

NATURE PARK AT THE SHELL FACTORY

Type: ROUTINE INSPECTION

Date: 19-JUN-2017

3.127(c)

FACILITIES, OUTDOOR.

The center of the covered outdoor petting zoo housing goats and other farm animals and other areas at the rabbit and zebra enclosures have muddy soil and or standing water. Although there has been heavy rains and additional fill has been added, these areas still remain wet during rainy season. There needs to be a method to rapidly eliminate the muddy / excess water in these areas to prevent health issues such as foot rot, parasites or disease. Methods such as adding soil and higher border to contain it, another type of soil, bedding or concrete surfaces were discussed.

TO BE CORRECTED BY: JUNE 28, 2017.

3.131(a)

SANITATION.

The camel and goat barn concrete flooring has excessive excreta and puddle of urine at the right front of the entrance door. These animals would not be able lay during the night without having contact with excreta. It was stated that the barn is cleaned daily and the animals have access to the outside during the day and inside at night. It appears due to the space of the barn there needs to be flooring / bedding added so there was no excreta contact with the animals. Excreta shall be removed from primary enclosures as often as necessary to prevent contamination of the animals contained therein and to minimize disease hazards and to reduce odors.

TO BE CORRECTED: IMMEDIATELY.

This inspection and exit interview were conducted with the facility representative.

Prepared By: BOTELHO RICHARD, JR, A C I USDA, APHIS, Animal Care

Date:
25-JUN-2017

Title: ANIMAL CARE INSPECTOR 2030

Received by Title: LICENSEE

Date:
25-JUN-2017



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
27537	58-C-0813	001	NATURE PARK AT THE SHELL FACTORY	19-JUN-17

No Animals were Inspected.

Count	Scientific Name	Common Name
000000	NONE	NONE
000000	Total	