



Inspection Report

Scantibodies Laboratories Inc.
9336 Abraham Way
Santee, CA 92071

Customer ID: 1121

Certificate: 93-B-0206

Site: 001

SCANTIBODIES LABORATORIES, INC.

Type: ROUTINE INSPECTION

Date: 06-APR-2016

3.125(a)

FACILITIES, GENERAL.

There were several areas within the primary enclosures for goats which were not maintained in good repair. These areas included sharp corners and edges of sheet metal used to wrap vertical support posts, broken metal anchors for tubular fencing, a corroded metal lower tubular fencing member with resultant sharp edges, and several gaps in the chain link fencing large enough to allow a goat's head to pass. Additionally, there were areas of the chain-link fence that were not securely fastened to the lower tubular member. Areas in disrepair may cause injury to the animals such as cuts or entrapment of a body part such as a head, or escape of the animal from the primary enclosure.

All housing facilities and primary enclosures must be structurally sound and be maintained in good repair to protect the animals from injury and contain them. A system of timely maintenance and repair of the facilities must be in place.

Correct by May 07, 2016.

Exit interview conducted with Facility Representative.

Inspection conducted by Drs. Tyler Fields and Michael A. Schnell, Veterinary Medical Officers.

Additional Inspectors

Fields Tyler, Veterinary Medical Officer

Prepared By: MICHAEL SCHNELL, D V M USDA, APHIS, Animal Care

Date:
08-APR-2016

Title: VETERINARY MEDICAL OFFICER 6100

Received by Title: RECEIVED VIA EMAIL

Date:
08-APR-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
1121	93-B-0206	001	SCANTIBODIES LABORATORIES, INC.	06-APR-16

Count	Scientific Name	Common Name
000148	<i>Capra hircus</i>	DOMESTIC GOAT
000010	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000005	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000163	Total	