



## Inspection Report

---

Richard S. Sandler MD  
11740 SW 37th Ct  
Davie, FL 33330

Customer ID: **327157**  
Certificate: **58-C-1089**  
Site: 001  
Richard S. Sandler MD

Type: RE-LICENSE INSPECTION  
Date: 15-MAY-2024

---

### 3.75(c)(1)(i)

#### Housing facilities, general.

The enclosure housing a male lemur contained areas of a dark, reddish-brown, coated rust on the wire mesh platforms. Excessively rusted and damaged areas such as these within enclosures cannot be cleaned or sanitized and could result in animal injury. Any surfaces that come into contact with primates must be free of excessive rust, which prevents the required cleaning, sanitization, and structural strength of the surface.

### 3.125(a)

#### Facilities, general.

Several enclosures are in need of repair:

\*\*The outdoor enclosure housing a female cougar had multiple sharp metal screws pointing into the enclosure from a wooden platform. The wooden platform was also deteriorating and damaged.

\*\*The outdoor enclosure housing the fox had sharp metal screws pointing into the enclosure from a wooden platform. The wooden platforms, steps and night-house roof also contained multiple deteriorating and damaged wood sections.

\*\*The indoor enclosures housing two raccoons contained wire mesh platforms which had excessive rust and deteriorating metal.

Sharp points and deteriorating wood within an animal's primary enclosure increase the risk of animal injury. Excessive amounts of rust affect the structural strength and prevent effective sanitization. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain them. These areas should be repaired or replaced.

### 3.131(a)

#### Repeat

#### Sanitation.

The outdoor enclosure housing a female cougar contained an excessive amount of dried feces near the water and food receptacles. Insufficient cleaning can lead to disease hazards, insects, pest, and odors. Excreta shall be removed from

---

Prepared By: COLETTE KIRK EL-AMIN

USDA, APHIS, Animal Care

Date:  
16-MAY-2024

Title: VETERINARY MEDICAL  
OFFICER

Received by Title: Facility Representative

Date:  
16-MAY-2024



## Inspection Report

---

primary enclosures as often as necessary to prevent accumulation of excreta, contamination of animals, minimize disease hazards, and reduce odors.

This is a 1st Re-License Inspection for a Class "C" license. The inspection and exit briefing were conducted with the applicant.

All items must be in compliance within 2 more inspection or by July 12, 2024 or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact your inspector to schedule your next Re-License Inspection.

Regulated activity can continue under your existing USDA license until it expires.

---

**Prepared By:** COLETTE KIRK EL-AMIN  
USDA, APHIS, Animal Care

**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
16-MAY-2024

**Received by Title:** Facility Representative

**Date:**  
16-MAY-2024



**Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
327157	58-C-1089	001	Richard S. Sandler MD	15-MAY-2024

Count	Scientific Name	Common Name
000001	<i>Puma concolor</i>	PUMA / MOUNTAIN LION / COUGAR
000003	<i>Procyon lotor</i>	RACCOON
000001	<i>Papio anubis</i>	OLIVE BABOON
000001	<i>Lemur catta</i>	RING-TAILED LEMUR
000001	<i>Vulpes pallida</i>	PALE FOX
000007	<b>Total</b>	