



Inspection Report

City Of Lufkin
P. O. Drawer 190
Lufkin, TX 75902

Customer ID: **3890**
Certificate: **74-C-0054**
Site: 001
City of Lufkin

Type: ROUTINE INSPECTION
Date: 13-MAY-2015

3.75(a)

HOUSING FACILITIES, GENERAL.

Chicken wire was wrapped around the exterior of the outdoor enclosure housing a Saki monkey. As viewed from the front, at eye level, the chicken wire was rusted and deteriorated and a significant hole was visible. Sharp points of wire were visible at the edges of the hole and could cause injury to the animal if he reached through the enclosure. A second damaged area was noted at the rear of the enclosure.

Housing facilities for non-human primates must be structurally sound and kept in good repair to protect the animals from injury. The damaged wire should be repaired or replaced.

Correct by: May 23, 2015.

3.81(c)(4)

ENVIRONMENT ENHANCEMENT TO PROMOTE PSYCHOLOGICAL WELL-BEING.

A male saki has been individually housed since January 2015 and unable to see or hear non human primates of the same or compatible species. According to the facility primate enhancement program and as mandated by requirements of the Animal Welfare Act special attention must be given to non-human primates housed under these conditions.

The facility was unable to provide description either verbally or by documentation to indicate how special attention has been given to this animal. Special considerations must be provided regarding enhancement of the environment for individuals housed in this manner. The facility must develop, follow and document an appropriate plan for environmental enhancements to promote the psychological well-being of all non-human primates housed at the facility.

Correct by: May 29, 2015.

3.125(a)

FACILITIES, GENERAL.

Prepared By: MARY MOORE, D V M USDA, APHIS, Animal Care

Date:
15-MAY-2015

Title: VETERINARY MEDICAL OFFICER 1044

Received by Title: DIRECTOR

Date:
15-MAY-2015



Inspection Report

* The top surface of a wooden resting bench in the off exhibit enclosure housing a clouded leopard was excessively worn and damaged. One end of a wood panel was deteriorated enough that two screw heads were being elevated and exposed. Continued erosion of the screws may allow sharp points to be accessible to the animals.

*The doorway of the giraffe barn leading to the outdoor exhibit has a metal frame that is damaged. The bottom of the frame on the left side looking outside is excessively rusted and deteriorated with a resulting hole. Metal flashing attached to the frame on the interior surface is bent and damaged. A section of metal frame on the exterior surface edge has pulled away at the bottom. The body of a screw is now visible in this area that would normally remain covered. Continued erosion could cause exposure of a sharp end of the screw.

Correct the above two items by: June 15, 2015.

*The countertop surface in the clinic surgery room is damaged. The edge of the countertop has pulled away with resulting gaps. Part of this damaged area has been repaired with bandage tape. The floor adjacent to the drain in the surgery room is damaged and missing pieces. The floor adjacent to the clinic entry is damaged and missing pieces in multiple areas. Damaged surfaces and repairs with porous materials prevent sanitizing at a level that would meet acceptable veterinary industry standards. The facility has initiated plans for renovation of the veterinary clinic.

*The countertop surface in the kitchen is damaged and missing pieces. The painted wood cabinets are missing paint in some areas and the bare wood was noticeably moist. Damaged and moisture soaked surfaces can facilitate fungal and microbial growth and are unable to be properly cleaned. The facility targets groundbreaking of a new commissary building next month.

Correct the above two items by: November 15, 2015.

Facilities must be maintained in good repair to maintain structural integrity, protect the animals from injury and facilitate prescribed husbandry practices including those related to cleaning and sanitization. All the above should be repaired or replaced.

The inspection and exit interview were conducted with the director, curator and APHIS personnel.

Additional Inspectors

Roberts Kelly, Animal Care Inspector

Prepared By: MARY MOORE, D V M USDA, APHIS, Animal Care

Date:
15-MAY-2015

Title: VETERINARY MEDICAL OFFICER 1044

Received by Title: DIRECTOR

Date:
15-MAY-2015



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
3890	74-C-0054	001	City of Lufkin	13-MAY-15

Count	Scientific Name	Common Name
000002	<i>Antelope cervicapra</i>	BLACKBUCK
000130	<i>Artibeus jamaicensis</i>	JAMAICAN FRUIT-EATING BAT / JAMAICAN FRUIT BAT
000002	<i>Atelerix albiventris</i>	HEDGEHOG
000006	<i>Cephalophus dorsalis</i>	BAY DUIKER
000002	<i>Ceratotherium simum</i>	WHITE RHINOCEROS
000002	<i>Cercopithecus neglectus</i>	DE BRAZZA'S MONKEY
000003	<i>Choloepus didactylus</i>	LINNAEUS'S TWO-TOED SLOTH
000003	<i>Damaliscus pygargus</i>	BONTEBOK / BLESBOK
000003	<i>Giraffa camelopardalis</i>	GIRAFFE
000002	<i>Hippopotamus amphibius</i>	HIPPOPOTAMUS
000002	<i>Hystrix africaeaustralis</i>	CAPE PORCUPINE
000002	<i>Lontra canadensis</i>	NORTH AMERICAN RIVER OTTER
000003	<i>Lynx rufus</i>	BOBCAT
000002	<i>Neofelis nebulosa</i>	CLOUDED LEOPARD
000002	<i>Notamacropus eugenii</i>	TAMMAR WALLABY
000003	<i>Notamacropus rufogriseus</i>	BENNETT'S WALLABY / RED-NECKED WALLABY
000002	<i>Odocoileus virginianus</i>	WHITE-TAILED DEER
000001	<i>Oryctolagus cuniculus</i>	EUROPEAN RABBIT
000002	<i>Panthera leo</i>	LION
000002	<i>Panthera onca</i>	JAGUAR
000002	<i>Panthera tigris</i>	TIGER
000005	<i>Pithecia pithecia</i>	WHITE-FACED SAKI
000001	<i>Potos flavus</i>	KINKAJOU
000003	<i>Procyon lotor</i>	RACCOON
000005	<i>Pteropus giganteus</i>	INDIAN FLYING FOX
000016	<i>Saguinus oedipus</i>	COTTON-TOP TAMARIN
000001	<i>Tachyglossus aculeatus</i>	SHORT-BEAKED ECHIDNA
000002	<i>Tapirus indicus</i>	MALAYAN TAPIR
000005	<i>Varecia variegata</i>	BLACK-AND-WHITE RUFFED LEMUR
000216	Total	