



Inspection Report

The Dallas World Aquarium
1801 N Griffin St
Dallas, TX 75202

Customer ID: **6545**

Certificate: **74-C-0392**

Site: 001

The Dallas World Aquarium

Type: ROUTINE INSPECTION

Date: 20-APR-2016

3.125

FACILITIES, GENERAL.

(a) Structural strength.

The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

***** The west wall inside the lock down area for the Giant Anteaters located in the walk in area off exhibit is constructed of plywood covered with plexi-glass. The plexi-glass has become broken and allowed the anteaters access to the plywood with their long claws. They have damaged the plywood and plexi-glass to the point they need replacement to keep this wall maintained in good repair and to prevent possible injury to these animals.

***** The protective grates which covered two openings in the floor drain and the cap to the flush out pipe for this drain located in the lockdown area addressed above are missing. These grates and cap need to be replaced so that the drain system is maintained in good repair and to prevent possible injury to the animals in this enclosure.

TO BE CORRECTED BY: 5/21/16

This inspection and exit interview conducted by Dr. Robert Gibbens, DVM Western Regional Director of Animal Care, Donovan L. Fox ACI and the designated person for inspection.

***** Note The epoxy floor in the main kitchen area had been completed but do to humidity issues a small portion is in the process of being redone.

Prepared By: DONNOVAN FOX, A C I USDA, APHIS, Animal Care

Date:
21-APR-2016

Title: ANIMAL CARE INSPECTOR 4045

Received by Title: DESIGNATED PERSON FOR INSPECTION

Date:
21-APR-2016



Inspection Report

It is recommended that a 90 day re-inspection be completed for this floor area to verify completion of this process.

END OF REPORT.

Additional Inspectors

Gibbens Robert, Director

Prepared By: DONNOVAN FOX, A C I USDA, APHIS, Animal Care

Date:
21-APR-2016

Title: ANIMAL CARE INSPECTOR 4045

Received by Title: DESIGNATED PERSON FOR INSPECTION

Date:
21-APR-2016



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
6545	74-C-0392	001	The Dallas World Aquarium	20-APR-16
Count	Scientific Name		Common Name	
000009	<i>Alouatta sara</i>		BOLIVIAN RED HOWLER	
000001	<i>Aotus</i>		NIGHT MONKEY	
000003	<i>Bradypus tridactylus</i>		PALE-THROATED SLOTH	
000022	<i>Callithrix pygmaea</i>		PYGMY MARMOSET	
000006	<i>Chiropotes satanas</i>		BLACK SAKI	
000003	<i>Choloepus didactylus</i>		LINNAEUS'S TWO-TOED SLOTH	
000002	<i>Dasyprocta punctata</i>		CENTRAL AMERICAN AGOUTI	
000003	<i>Dendrolagus bennettianus</i>		BENNETT'S TREE KANGAROO	
000004	<i>Leontopithecus chrysomelas</i>		GOLDEN-HEADED TAMARIN	
000002	<i>Leontopithecus rosalia</i>		GOLDEN LION TAMARIN	
000003	<i>Lontra canadensis</i>		NORTH AMERICAN RIVER OTTER	
000231	<i>Macrotus californicus</i>		CALIFORNIA LEAF-NOSED BAT	
000002	<i>Myrmecophaga tridactyla</i>		GIANT ANTEATER	
000002	<i>Panthera onca</i>		JAGUAR	
000008	<i>Pithecia pithecia</i>		WHITE-FACED SAKI	
000002	<i>Procavia capensis</i>		ROCK HYRAX	
000004	<i>Pudu mephistophiles</i>		NORTHERN PUDU	
000002	<i>Saguinus fuscicollis</i>		SADDLE-BACK TAMARIN	
000006	<i>Saguinus imperator</i>		EMPEROR TAMARIN	
000003	<i>Saguinus midas</i>		RED-HANDED TAMARIN	
000007	<i>Saguinus mystax</i>		MOUSTACHED TAMARIN	
000002	<i>Saguinus oedipus</i>		COTTON-TOP TAMARIN	
000002	<i>Sylvilagus audubonii</i>		DESERT COTTONTAIL RABBIT	
000001	<i>Trichechus manatus</i>		CARIBBEAN MANATEE	
000036	<i>Vampyrus spectrum</i>		AMERICAN FALSE VAMPIRE BAT	
000001	<i>Zaglossus bruijnii</i>		LONG-BEAKED ECHIDNA	
000367	Total			