



Inspection Report

Cora Swartzentruber
David Swartzentruber
4225 Hwy J
Half Way, MO 65663

Customer ID: 42232

Certificate: 43-A-5373

Site: 001

DAVID SWARTZENTRUBER, CORA SWARTZENTRUBER

Type: ROUTINE INSPECTION

Date: 13-FEB-2014

3.6(a)(2)(10)

PRIMARY ENCLOSURES.

Sec. 3.6 Primary enclosures. (a) (2) (x)

--- The one pen containing two chihuahua puppies wire flooring is allowing the smaller chihuahua feet to pass through the wire openings. The larger puppy was tight rope walking on the wire.

--- The one pen with two chihuahua adults has 1 inch wire flooring that is allowing the feet to fall through it. The feet passing through the wire will allow the dogs to injury themselves or alter their gait which can lead to injuries. The pens must be designed with flooring that does not allow the dogs feet to pass through.

To be corrected by 03-14-2014

Exit interview conducted with facility representative.

Prepared By: DAVID COURTRIGHT, A C I USDA, APHIS, Animal Care

Date:
13-FEB-2014

Title: ANIMAL CARE INSPECTOR 4042

Received by Title: LICENSEE

Date:
13-FEB-2014



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
42232	43-A-5373	001	DAVID SWARTZENTRUBER, CORA SWARTZENTRUBER	13-FEB-14

Count	Scientific Name	Common Name
000025	<i>Canis lupus familiaris</i>	DOG ADULT
000010	<i>Canis lupus familiaris</i>	DOG PUPPY
000035	Total	