



Inspection Report

MENOMONIE LIONS CLUB
PO BOX 44
MENOMONIE, WI 54751

Customer ID: **2341**
Certificate: **35-C-0390**
Site: 001
MENOMONIE LIONS CLUB

Type: ROUTINE INSPECTION
Date: 07-NOV-2022

2.40(a)(1)

Attending veterinarian and adequate veterinary care (dealers and exhibitors).

The facility does not have a written program of veterinary care (PVC). Lack of a written PVC does not ensure that the facility understands the expectations of the attending veterinarian regarding the veterinary care of all regulated animals. The facility must develop a written PVC. Correct by November 30, 2022.

3.130

Watering.

The automatic water receptacle in the bison enclosure was not clean. Moss like plants were growing on the sides and into the center of the drinking basin. There was other organic debris such as leaves and dirt floating in the water basin. The facility representative worked to clean the water receptacle and had to use a stick to dislodge an accumulation of debris so the water could be drained. Dirty water receptacles can make water unpleasant to drink and can harbor disease producing organisms if not maintained. The facility must ensure that all water receptacles are kept clean and sanitary. Corrected at the time of inspection.

This inspection and exit interview were conducted with Facility Representatives.

Prepared By: KIMBERLY MILLER
USDA, APHIS, Animal Care
Title: ANIMAL CARE INSPECTOR

Date:
08-NOV-2022

Received by Title: Facility Representative

Date:
08-NOV-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2341	35-C-0390	001	MENOMONIE LIONS CLUB	07-NOV-2022

Count	Scientific Name	Common Name
000010	<i>Odocoileus virginianus</i>	WHITE-TAILED DEER
000003	<i>Bison bison</i>	AMERICAN BISON
000007	<i>Cervus elaphus canadensis</i>	ELK
000020	Total	