



## Inspection Report

Amos Fisher  
7291 E 800 N  
Waveland, IN 47989

Customer ID: **500733**  
Certificate: **32-A-0619**  
Site: 001  
AMOS FISHER

Type: ROUTINE INSPECTION  
Date: 14-NOV-2018

### 3.31(a)(1)

#### **SANITATION.**

Primary enclosures must be cleaned and sanitized often enough to prevent an accumulation of excreta or debris, and at least once every two weeks.

Accumulations of excreta and debris were seen consistently throughout the enclosures, and were found especially in the interior corners of the enclosures. Accumulations of debris were also observed particularly alongside the interior enclosure walls throughout the facility. Some of the debris accumulations along the walls and floor appeared to be moist and sticky, and much of the debris accumulation along the walls appeared to be adhered to the enclosure surfaces.

Accumulations of debris and excreta can create health hazards for guinea pigs. Although the facility representative indicated that enclosures are cleaned on a regular basis, the presence of the debris and excreta accumulations illustrated that the enclosures must be cleaned more thoroughly and/or more frequently to prevent excreta and debris accumulations.

The licensee must thoroughly clean and sanitize the enclosures at least once every two weeks or more often as necessary to prevent an accumulation of excreta or debris. Correct by November 20, 2018.

This inspection and exit interview were conducted with the facility representative.

**Prepared By:** WHITE-SHIM LYNNE, D V M USDA, APHIS, Animal Care

**Date:**  
14-NOV-2018

**Title:** VETERINARY MEDICAL OFFICER 6123

**Received by Title:** FACILITY REPRESENTATIVE

**Date:**  
14-NOV-2018



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
500733	32-A-0619	001	AMOS FISHER	14-NOV-18

Count	Scientific Name	Common Name
001892	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
<b>001892</b>	<b>Total</b>	