

DCARE INS-0000846810

Inspection Report

JOHN MARK JOHNSON 135 CR 275

Blue Springs, MS 38828

Customer ID: 501773

Certificate: 65-C-0566

Site: 002

John Johnson 002

Type: ROUTINE INSPECTION

Date: 09-FEB-2023

3.125(a) Critical

Facilities, general.

Two enclosures failed contain animals or protect the animals from injury.

***In December 2022, over 2 nights, 11 fallow deer were killed by stray dogs that dug under the pasture fence and entered the enclosure housing the deer. After the first night the licensee repaired the affected area of fence, but the dogs returned and were able to dig under the fence again. Since the incident, the licensee has repaired and secured the fence and the stray dogs are no longer in the area.

***A young female wallaby was spooked and was able to pass through the wire fence wall of her enclosure into an adjacent pasture which was still within the facility's perimeter fence. After consulting with the Attending Veterinarian, the licensee darted the animal in order to capture her. The animal died soon after it was darted.

Animals in enclosures that do not adequately protect them from escape, injury, or predators may suffer from stress, injury, or death.

Correct by February 17, 2023 by ensuring that all animal enclosures are structurally sound and maintained in good repair to contain the animals and protect the animals from injury. Corrected at the time of the inspection.

3.127(c)

Facilities, outdoor.

Prepared By: DIANA CARE Date:

Title: VETERINARY MEDICAL

OFFICER

Received by Title: Licensee Date:

13-FEB-2023

13-FEB-2023

USDA, APHIS, Animal Care



DCARE **INS-0000846810**

Inspection Report

An enclosure containing sheep, goats, and other animals was extremely muddy. The enclosure was an outdoor pasture
containing some trees and two shelter structures. There was deep mud around the shelter structures and water trough.
Animals were unable to enter or exit the shelter structures without walking through deep mud.

Animals in enclosures that are excessively muddy may suffer from foot issues, poor hygiene, and may become cold if wet or muddy. Young animals may struggle to walk through the mud.

Correct by February 17, 2023 by ensuring that all animals are contained in enclosures with adequate drainage.

This inspection and exit interview were conducted with the licensee.

Prepared By: DIANA CARE Date:

USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL

OFFICER

Received by Title: Licensee Date:

13-FEB-2023

13-FEB-2023



Customer: 501773

Inspection Date: 09-Feb-2023

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
501773	65-C-0566	002	John Johnson 002	09-FEB-2023

Count	Scientific Name	Common Name
000007	Nasua nasua	SOUTH AMERICAN COATI
000026	Ovis aries aries	SHEEP INCLUDING ALL DOMESTIC BREEDS
000006	Cynomys Iudovicianus	BLACK-TAILED PRAIRIE DOG
000007	Chinchilla lanigera	CHINCHILLA
000006	Oryctolagus cuniculus	DOMESTIC RABBIT / EUROPEAN RABBIT
000023	Atelerix albiventris	FOUR-TOED HEDGEHOG
000001	Sus scrofa domestica	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000074	Capra hircus	DOMESTIC GOAT
000014	Bos taurus	CATTLE / COW / OX / WATUSI
000001	Boselaphus tragocamelus	NILGAI
000003	Camelus dromedarius	DROMEDARY CAMEL
000012	Lemur catta	RING-TAILED LEMUR
000001	Varecia rubra	RED RUFFED LEMUR
000001	Cebus capucinus	WHITE-HEADED / WHITE-THROATED CAPUCHIN
000003	Notamacropus rufogriseus	BENNETT'S WALLABY / RED-NECKED WALLABY
000005	Osphranter rufus	RED KANGAROO
000001	Vulpes zerda	FENNEC FOX
000001	Macaca nemestrina	PIG-TAILED MACAQUE
000006	Lama pacos	ALPACA
000001	Hystrix cristata	AFRICAN CRESTED PORCUPINE
000001	Oryx dammah	SCIMITAR-HORNED ORYX
000003	Lama glama	LLAMA
000011	Bos primigenuis indicus	ZEBU
000010	Bubalus bubalis	ASIATIC WATER BUFFALO
000002	Bos grunniens	YAK
000006	Equus quagga	BURCHELL'S / GRANT'S / CHAPMAN'S / PLAINS ZEBRA
000005	Bison bison	AMERICAN BISON
000001	Connochaetes gnou	BLACK WILDEBEEST
000012	Dama dama	FALLOW DEER
000004	Cervus elaphus	RED DEER

000254 **Total**



Customer: 501773

Inspection Date: 09-Feb-2023

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
501773	65-C-0566	002	John Johnson 002	09-FEB-2023