



Inspection Report

Synchrony Labs LLC
3908 PATRIOT DRIVE STE 170
DURHAM, NC 27703

Customer ID: **334233**
Certificate: **55-R-0148**
Site: 001
SYNCHRONY LABS LLC

Type: ROUTINE INSPECTION
Date: 14-FEB-2022

3.129(b)

Feeding.

Approximately 50% of the hard plastic feeders in use for the sheep and swine are in disrepair: chewed edges, cracked corners, and broken rims are prominent. Damaged plastic feeders cannot be cleaned and sanitized effectively and can harbor infectious agents that can harm the animals. Per the regulation, food receptacles shall be kept clean and sanitary at all times. Correct by 01March2022.

This inspection and exit interview were conducted with facility representatives.

Prepared By: MARY ANN MCBRIDE
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
14-FEB-2022

Received by Title: _____

Date:
14-FEB-2022



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
334233	55-R-0148	001	SYNCHRONY LABS LLC	14-FEB-2022

Count	Scientific Name	Common Name
000015	<i>Canis lupus familiaris</i>	DOG ADULT
000079	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000015	<i>Ovis aries aries</i>	SHEEP INCLUDING ALL DOMESTIC BREEDS
000109	Total	