



Inspection Report

William Yoder
13480 E. Hwy. W
El Dorado Springs, MO 64744

Customer ID: **330795**
Certificate: **43-A-5839**
Site: 002
WILLIAM YODER

Type: ROUTINE INSPECTION
Date: 06-JUL-2017

2.40(b)(2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

Sec. 2.40 (b)(2)

*** A bottle of Metronidazole 250 mg is missing dosage, frequency, route, which dog it is for, expiration date and lot number. Mislabeled medication can lead to improper dosing of the dogs, wrong dog being given the medicine and not knowing when the medication expires. The medication used in the facility is to be label with required information. Vet Clinic information, date, Dog name, drug name, concentration, dosage, frequency, route, expiration date and lot number.

*** Two full multi use syringes of Doc Roys GI Synbiotics have expiration dates of 02/2017, they are sitting next to two used ones with the same expiration dates.

*** A jar of Boric Acid Powder has an expiration date of 08/2012 was found on the top shelf in the kennel.

*** A container of Calcium Aspartate Anhydrous has expiration date of 01/2017 on the label. Licensee states it is an old bottle that he reuses with new product. Explained that the new expiration date and lot number must be on the bottle.

Expired medication used in the facility are not as effective to treat, prevent or control diseases or injuries as expected. If containers are being reused with new product, then the label should reflect the new expiration date and lot number after being cleaned and sanitized before reusing. All expired medication must be removed from the facility to prevent them from being used on the dogs.

To be corrected: Licensee threw away expired medication as soon as it as discovered.

3.6(a)(2)(i)

PRIMARY ENCLOSURES.

Section 3.6 (a)(2)(1)

*** Nineteen enclosures have a metal solid surface on the outside, these metal squares are secured to the hard plastic flooring with metal self tapping screws that the head of the screw stick up approximately 1/8 inch. The dogs can injure themselves if they step on the head of the screw.

Prepared By: COURTRIGHT DAVID, A C I USDA, APHIS, Animal Care

Date:
06-JUL-2017

Title: ANIMAL CARE INSPECTOR 4042

Received by Title: LICENSEE

Date:
06-JUL-2017



Inspection Report

*** The metal squares that are being used as solid resting surfaces on the outside part of the enclosures, the dogs are chewing the edges and pulling them up. The edges are jagged and sharp edges can injure the dogs. The metal squares are exposed to the sun and might be the reason why the dogs do not use them.

All enclosures must be designed and maintained to protect the dogs from injury, escaping and allowing other animals from entering the pen.

To be corrected by 07-31-2017

3.6(a)(2)(xii)

PRIMARY ENCLOSURES.

Section 3.6 (a)(2)(xii)

*** Two enclosures at the connection joint is sagging/ bowing in the middle of the pens.

*** Five pens plastic cable ties or metal wire is missing, which has separated the hard plastic floor from the wire walls. This has allowed the flooring to sag or bow in the pens. Flooring that sags or bows will alter the dogs walking gait and lead to health and safety issues for the dogs. All flooring must be designed and maintained to protect the dogs from injury and not sag or bow between structural supports.

To be corrected by 08-01-2017

This inspection and exit interview were conducted with facility representatives.

Prepared By: COURTRIGHT DAVID, A C I USDA, APHIS, Animal Care

Date:
06-JUL-2017

Title: ANIMAL CARE INSPECTOR 4042

Received by Title: LICENSEE

Date:
06-JUL-2017



Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|---------------|------------|
| 330795 | 43-A-5839 | 002 | WILLIAM YODER | 06-JUL-17 |

| Count | Scientific Name | Common Name |
|---------------|-------------------------------|-------------|
| 000051 | <i>Canis lupus familiaris</i> | DOG ADULT |
| 000022 | <i>Canis lupus familiaris</i> | DOG PUPPY |
| 000073 | Total | |