





Inspection Report

All Season Farm & Nursery 14510 II Rt 176 Woodstock, IL 60098 Customer ID: **326843**

Certificate: 33-C-0474

Site: 001

ALL SEASON FARM & NURSERY

Type: ROUTINE INSPECTION

Date: 28-SEP-2016

3.50(a) CRITICAL

FACILITIES, GENERAL.

Four rabbits escaped from their enclosure approximately two weeks ago and were never recovered as per the facility owner. The rabbits were able to dig underneath the enclosure fence and escape as per the facility owner. The escaped rabbits could fall prey to predators as the facility is in a rural location.

Assure that the rabbit enclosure is maintained so that rabbits can't escape.

To be corrected: From this day forward.

3.130 **DIRECT**

WATERING.

DIRECT

Sixteen pigs did not have access to water and drank voraciously after it was provided to them. The sixteen pigs are housed in four stalls (four pigs per stall) inside of the racing pig building. Each of the stalls contains a large PVC tube with a Lixit valve attached near the bottom. These are the pigs' water receptacles. None of the tubes contained water. The tubes were filled with water at my request. Each of the sixteen pigs began to push each other and fight for control of the water. At least one stall of pigs was observed drinking voraciously for two minutes. This would indicate that the pigs were not provided enough water or that they were not provided with water often enough.

The pigs must be provided with water as often as necessary to provide for their health and comfort.

To be corrected: This was corrected during the time of inspection as the pigs were offered water.

Ensure that this is corrected from this day forward.

NON DIRECT

Prepared By: CHAD MOORE, A C I USDA, APHIS, Animal Care Date:

Title: ANIMAL CARE INSPECTOR 1046

Received by Title: OWNER Date: 29-SEP-2016

Page 1 of 2

28-SEP-2016

0 01. 20



Inspection Report

Seven water receptacles were dirty, had excessive debris, and/or had algae buildup in them during the time of inspection. The first water tub was located within the enclosure containing the twelve goats, four sheep, and one alpaca. The inside walls of the water tub were coated with green algae. The second tub was located in the barn stall with the two goats. It contained feces, hay, and other excessive debris. The third tub was located in the single cow's enclosure. The bottom of the water tub was coated with green algae. The final four were located in the pigs' stalls. The inside of each tube had large amounts of black and brown material on them.

Consuming water with these contaminants could make the animals ill.

Clean these water receptacles and repeat often enough to assure that animals have access to clean water.

To be corrected: 9-30-16

3.131(a)

SANITATION.

Excessive feces and flies were present in the stall containing the two Holstein calves during the time of inspection. At least 2/3 of the stall contained soiled straw. Numerous flies were observed in the feces and in the calves food dish. Excessive feces attracts flies and can cause animal diseases.

Clean the stall and repeat often enough to prevent excessive build up of feces.

To be corrected: 9-30-16

Approximately 1/4 of an inch of wet feces covered all four of the pig stalls. The feces completely covered the concrete stall floors and covered the majority of the stall walls. The stalls were flushed with water by the license holder during the inspection; however, this left one of the stalls with with significant standing water. It also left all of the other stalls with only wet concrete. Excessive feces and standing water can cause health problems in pigs.

Ensure the pig stalls are kept clean by removing feces often enough to prevent build up. The pigs must also have a dry, clean place within their stalls to lie down.

To be corrected: 9-30-16

This inspection and exit interview were conducted with owner.

Prepared By:CHAD MOORE, A C IUSDA, APHIS, Animal CareDate:28-SEP-2016

Title: ANIMAL CARE INSPECTOR 1046

Received by Title: OWNER Date:

29-SEP-2016



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 326843 Inspection Date: 28-SEP-16

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
326843	33-C-0474	001	ALL SEASON FARM & NURSERY	28-SEP-16

Count	Scientific Name	Common Name
000002	Bos grunniens	YAK
000001	Bos primigenuis indicus	ZEBU
000002	Bos taurus	CATTLE / COW / OX / WATUSI
000020	Capra hircus	DOMESTIC GOAT
000001	Lama pacos	ALPACA
000001	Oryctolagus cuniculus	DOMESTIC RABBIT / EUROPEAN RABBIT
000005	Ovis aries aries	SHEEP INCLUDING ALL DOMESTIC BREEDS
000016	Sus scrofa domestica	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000048	Total	