

United States Department of Agriculture Animal and Plant Health Inspection Service

STOBIAS INS-0000891807

Inspection Report

PET FOOD SOLUTION LLC

562 State Road DD AUXVASSE, MO 65231 Customer ID: 13318

Certificate: 43-R-0117

Site: 002

PET FOOD SOLUTION, INC.

Type: ROUTINE INSPECTION

Date: 05-SEP-2023

3.1(a)

Housing facilities, general.

The outside exercise pen (the 'Big Yard') in which 9 dogs were exercising had a protruding section of plastic flashing, @6x11 inches, with a jagged edge and tooth marks, that was pulled away from the junction of the foundation and siding. Sharp edges on enclosures may present a risk of injury. The facility must ensure that enclosures are maintained to prevent injury.

Correct by 12 September 2023.

An additional @6x10 inch section of the cement block foundation of the housing facility that functions as one wall of the outdoor exercise pen (the 'Big Yard') had a buildup of green to black organic material associated with a constant drip of water at the time of the inspection. The source of the water was unidentified. Ongoing water leaks may lead to contamination of the exercise yard and a weakening of the floor of the housing facility itself. The facility must ensure the housing is maintained in good repair.

Correct by 05 December, 2023.

This inspection and exit interview were conducted with the facility representative.

Prepared By: SARA TOBIAS Date: USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL

OFFICER

Received by Title: Facility Representative Date:

05-SEP-2023

05-SEP-2023



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 13318

Inspection Date: 05-Sep-2023

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
13318	43-R-0117	002	PET FOOD SOLUTION, INC.	05-SEP-2023

CountScientific NameCommon Name000035Canis familiarisDOG ADULT

000035 **Total**