



Inspection Report

Christ King
100 Sproul Rd
Christiana, PA 17509

Customer ID: **332637**
Certificate: **23-A-0605**
Site: 001
CHRIST KING

Type: ROUTINE INSPECTION
Date: 03-APR-2019

3.31(a)(4)

SANITATION.

Guinea pig enclosures are being cleaned weekly, but the licensee is not currently using a sanitation method. Guinea pig enclosures shall be sanitized at least once every two weeks by one of the following methods: 180 degree water with soap or detergent, cleaning all soiled surfaces with live steam, or washing all surfaces with a detergent solution and followed by an effective disinfectant. The lack of a sanitation program can expose the guinea pigs to potential disease hazards such as bacterial, fungal, and viral infections. Licensee must establish and maintain a safe and effective sanitation program to prevent health risks to the guinea pigs. Correct by April 11, 2019.

This inspection and exit interview were conducted with the owner.

Prepared By: MARKMANN ROBERT, A C I USDA, APHIS, Animal Care

Date:
03-APR-2019

Title: ANIMAL CARE INSPECTOR 1009

Received by Title: OWNER

Date:
03-APR-2019



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
332637	23-A-0605	001	CHRIST KING	03-APR-19

Count	Scientific Name	Common Name
001084	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
001084	Total	