

United States Department of Agriculture Animal and Plant Health Inspection Service

DMERSEREAU INS-0000837020

Inspection Report

AUSTIN AQUARIUM 13530 N. Hwy 183 #101 AUSTIN, TX 78750 Customer ID: 331570

Certificate: 74-C-1084

Site: 001

AUSTIN AQUARIUM

Type: ROUTINE INSPECTION

Date: 09-JAN-2023

2.131(c)(1)

Handling of animals.

Since last inspection the facility added 2 clear tubes in to front wall of the Asian small-clawed otter enclosure for public feeding interaction. Each is roughly 2.5 feet off the ground, 2 inches in diameter and 6 inches long extending into the exhibit. These tubes are open at all times. During our inspection an otter on exhibit reached into the tube and touched a finger of an inspector.

Repeat

Unsupervised public can provide foreign material or food, and touch the animals. There are no barriers or signs present to discourage public contact. Sufficient barriers are important to protect both the animals and the public, particularly when there is not an attendant present to supervise interactions between the animals and the public. People or animals can be injured by unauthorized direct contact and animals can become ill if they eat inappropriate food or objects presented to them by the public.

The facility must must provide sufficient barriers or supervision to insure the safety of the public and the animals.

Correct by January 23, 2023

This inspection and exit interview were conducted with a facility representative.

Prepared By: DAVID MERSEREAU

USDA, APHIS, Animal Care

11-JAN-2023

Date:

Title: VETERINARY MEDICAL

OFFICER

Received by Title: Facility Representative

Date: 11-JAN-2023



United States Department of Agriculture Animal and Plant Health Inspection Service

DMERSEREAU **INS-0000837020**

Inspection Report

| Additional | Inspectors: |
|------------|-------------|
| | |

ELIZABETH PANNILL, VETERINARY MEDICAL OFFICER

Prepared By: DAVID MERSEREAU

USDA, APHIS, Animal Care

11-JAN-2023

Date:

Title: VETERINARY MEDICAL

OFFICER

Received by Title: Facility Representative

Date: 11-JAN-2023



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 331570

Inspection Date: 09-Jan-2023

Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|-----------------|-------------|
| 331570 | 74-C-1084 | 001 | AUSTIN AQUARIUM | 09-JAN-2023 |

| Count | Scientific Name | Common Name |
|--------|---------------------------|------------------------------|
| 000006 | Lemur catta | RING-TAILED LEMUR |
| 000001 | Potos flavus | KINKAJOU |
| 000001 | Coendou prehensilis | PREHENSILE-TAILED PORCUPINE |
| 000006 | Varecia rubra | RED RUFFED LEMUR |
| 000003 | Varecia variegata | BLACK-AND-WHITE RUFFED LEMUR |
| 000002 | Aonyx cinereus | ORIENTAL SMALL-CLAWED OTTER |
| 000001 | Hydrochaeris hydrochaeris | CAPYBARA |
| 000001 | Choloepus didactylus | LINNAEUS'S TWO-TOED SLOTH |
| | | |
| 000021 | Total | |