



## Inspection Report

Barbara Hammen  
Martin Hammen  
2171 220th Street  
Jolley, IA 50551

Customer ID: **26680**

Certificate: **42-A-1048**

Site: 001

MARTIN HAMMEN, BARBARA HAMMEN

Type: ROUTINE INSPECTION

Date: 11-AUG-2015

### 3.1(c)(2)

#### HOUSING FACILITIES, GENERAL.

There are three outdoor enclosures, containing four adult St. Bernards, whose flooring is constructed of concrete. The concrete flooring in all three enclosures has cracked and broken. The cracked and broken concrete creates conditions which cannot be properly cleaned and sanitized and promotes the harboring of bacteria, parasites and other pathogens. The surfaces must be replaced, repaired or altered in a manner that allows for cleaning and sanitization to occur. Licensee must ensure that all surfaces remain in good repair and can be readily cleaned and sanitized.

Correction date: October 1, 2015

### 3.6(a)(2)(10)

#### PRIMARY ENCLOSURES.

In the small dog building the outdoor portion of the enclosures has flooring constructed of coated wire. There are at least two enclosures, containing six dogs, whose wire flooring has broken, resulting in sharp points protruding into the enclosure. In the same building there are at least three enclosures, containing fifteen dogs, whose sections of wire flooring are no longer attached to each other and has resulted in gaps in the flooring when the dogs walk on it. Sharp points in the flooring could result in injuries to the dogs and gaps in the floor could allow the dogs' legs and feet to pass through.

All enclosures must have floors constructed in a manner that protects the dogs' feet and legs from injury and do not allow the dogs' feet and legs to pass through any openings. The broken and loose flooring must be replaced, repaired or altered in a manner that will not cause injury to the dogs or allow their feet and legs to pass through. The licensee must ensure that all enclosures remain safe for all dogs.

Correction date: November 11, 2015

Male Yorkshire terrier (microchip #109 833 886) has been evaluated by a licensed veterinarian and received

Prepared By: KELLY MAXWELL, A C I USDA, APHIS, Animal Care

Date:  
11-AUG-2015

Title: ANIMAL CARE INSPECTOR 6080

Received by Title: FACILITY REPRESENTATIVE

Date:  
11-AUG-2015



## Inspection Report

---

treatment.

Female Shih Tzu (microchip #0A02380041) has been evaluated by a licensed veterinarian and is under a treatment plan.

This is an electronic version of the report dated August 11, 2015

Exit interview conducted with Kelly Maxwell, ACI, Heather Cole, VMO and Mike Neafsey, VMO and facility representative.

### Additional Inspectors

Cole Heather, Supervisory Animal Care Specialist

Maxwell Kelly, Animal Care Inspector

Neafsey Michael, Assistant Director

---

**Prepared By:** KELLY MAXWELL, A C I USDA, APHIS, Animal Care

**Date:**  
11-AUG-2015

**Title:** ANIMAL CARE INSPECTOR 6080

**Received by Title:** FACILITY REPRESENTATIVE

**Date:**  
11-AUG-2015



## Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
26680	42-A-1048	001	MARTIN HAMMEN, BARBARA HAMMEN	11-AUG-15

Count	Scientific Name	Common Name
000119	<i>Canis lupus familiaris</i>	DOG ADULT
000042	<i>Canis lupus familiaris</i>	DOG PUPPY
<b>000161</b>	<b>Total</b>	