



Inspection Report

APET INC
195 PRAIRIE LAKE ROAD
EAST DUNDEE, IL 60118

Customer ID: **2388**
Certificate: **33-B-0185**
Site: 003
APET INC

Type: RE-LICENSE INSPECTION
Date: 17-APR-2023

2.134

Contingency planning.

The facility's contingency plan did not adequately address how emergencies would be handled at this site. An inadequate contingency plan could affect animal health and well-being. Dealers must develop, document, and follow an appropriate plan to provide for the humane handling, treatment, transportation, housing, and care of their animals in the event of an emergency or disaster. The contingency plan must address all the components of 2.134.

The licensee must develop, document, and follow a contingency plan that adequately addresses emergencies that may arise at this site.

This is a 1st Re-License Inspection for a Class "B" license. The inspection and exit briefing were conducted with a facility representative.

All items must be in compliance within 2 more inspections or by 16-JUNE-2023 or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact your inspector to schedule your next Re-License Inspection.

Regulated activity can continue under your existing USDA license until it expires.

Prepared By: JUSTINE O MALLEY
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
17-APR-2023

Received by Title: Facility Representative

Date:
17-APR-2023



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2388	33-B-0185	003	APET INC	17-APR-2023

Count	Scientific Name	Common Name
000000	NONE	NONE
000000	Total	