



Inspection Report

Pipsqueeks Pet Inc
10654 SE US Hwy 441
Bellevue, FL 34420

Customer ID: **331113**
Certificate: **58-B-0681**
Site: 001
PIPSQUEEKS PETS INC

Type: FOCUSED INSPECTION
Date: 24-JUL-2025

3.28(c)(1)(iii)

Repeat

Primary enclosures.

Two guinea pig enclosures are not providing the minimum required space for the number of animals that are currently housed inside of them.

-Thirteen guinea pigs are housed in a glass walled primary enclosure that measures 34 inches by 30 inches providing a total of 1,020 square inches of floor space. The guinea pigs are over 350 grams and therefore require 101 square inches each (or 1,313 square inches for this group of thirteen).

-Fifteen guinea pigs are housed in a glass walled primary enclosure that measures 34 inches by 30 inches providing a total of 1,020 square inches of floor space. There are eight guinea pigs that are over 350 grams and seven guinea pigs that are under 350 grams. This group of guinea pigs requires 101 square inches each for guinea pigs over 350 grams and 60 square inches each for guinea pigs under 350 grams (or 1,228 square inches for this group of fifteen).

Not providing the minimum area of space does not allow for adequate freedom of movement, exercise, or reduce the potential for injury due to overcrowding or competition between the guinea pigs. All guinea pigs of this size must be provided at least the minimum required floor space (101 square inches for each guinea pig weighing > 350 grams and 60 square inches for each guinea pig weighing < 350 grams) in their primary enclosure.

3.28(c)(2)(ii)

Primary enclosures.

The upstairs breeding enclosures for Syrian hamsters are not providing the minimum required interior height of six inches. The enclosures are plastic bins measuring less than 4.5 inches tall from the outside.

Not providing the minimum height does not allow for adequate freedom of movement which can which can lead to inadequate exercise, discomfort, stress, and incompatibility. All hamsters must be provided at least the minimum required height (6 inches) in their primary enclosure.

To be corrected by August 1, 2025.

This inspection and exit interview were conducted with a facility representative.

Prepared By: KATIE PRICE

USDA, APHIS, Animal Care

Date:
28-JUL-2025

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:
28-JUL-2025



Inspection Report

Prepared By: KATIE PRICE

USDA, APHIS, Animal Care

Title: VETERINARY MEDICAL
OFFICER

Date:
28-JUL-2025

Received by Title: Facility Representative

Date:
28-JUL-2025



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
331113	58-B-0681	001	PIPSQUEEKS PETS INC	24-JUL-2025

Count	Scientific Name	Common Name
000040	<i>Cavia porcellus</i>	DOMESTIC GUINEA PIG
000033	<i>Mesocricetus auratus</i>	SYRIAN / GOLDEN HAMSTER
000073	Total	