



## Inspection Report

---

Blue Ridge Zoological Society of Virginia  
P.O. Box 8159  
Roanoke, VA 24014

Customer ID: **2467**

Certificate: **52-C-0034**

Site: 001

BLUE RIDGE ZOO SOCIETY OF V  
A

Type: RE-LICENSE INSPECTION

Date: 22-MAR-2023

---

### 3.125(a)

### Repeat

#### Facilities, general.

The facility has some areas in disrepair.

-- The shift door guide within indoor holding of the snow leopard enclosure has severe rust and flaking along with a disintegrating section of metal on the lower left side, leaving sharp edges.

-- The shift door in the red panda exhibit has areas of flaking paint peeling off. The door is located inside the primary enclosure and can be accessed by the animal.

-- Along the perimeter of the lynx enclosure, the vertical steel support beams on the inside have areas of flaking paint that are peeling off the underlying metal structure.

-- Two sheets of foam insulation board resting on top of the indoor raccoon enclosure are broken with multiple small pieces of foam resting on top of the metal mesh.

Facilities that are in disrepair with flaking paint, excessive rust creating sharp metal edges, or damaged facilities can pose an ingestion hazard to the animals as well as cause potential injury or other illnesses.

Correct by ensuring all housing facilities are structurally sound and maintained in good repair to protect the animals from injury and to contain the animals.

.

---

**Prepared By:** RACHEL PEREZ-BAUM

USDA, APHIS, Animal Care

**Date:**

23-MAR-2023

**Title:** VETERINARY MEDICAL  
OFFICER

**Received by Title:** Facility Representative

**Date:**

23-MAR-2023



## Inspection Report

---

### 3.131(c)

#### Sanitation.

The building holding dry food storage has an accumulation of clutter that prevents full visualization of the floor, around food storage, and the peripheral edges of the room. It is important that all areas within food storage can be routinely monitored and inspected for signs of pests or other potential contaminants of food. Correct by April 6, 2023 by ensuring all premises (buildings and grounds) are kept clean and in good repair.

This is a 1st Re-License Inspection for a Class "C" license. The inspection and exit briefing were conducted with the applicant.

All items must be in compliance within 2 more inspection(s) or by May 22, 2023 or the applicant will forfeit the license fee and must wait 6 months to reapply. Please contact your inspector to schedule your next Re-License Inspection.

Regulated activity can continue under your existing USDA license until it expires.

---

**Prepared By:** RACHEL PEREZ-BAUM  
USDA, APHIS, Animal Care  
**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**  
23-MAR-2023

**Received by Title:** Facility Representative

**Date:**  
23-MAR-2023



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
2467	52-C-0034	001	BLUE RIDGE ZOO SOCIETY OF V A	22-MAR-2023

Count	Scientific Name	Common Name
000001	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000005	<i>Capra hircus</i>	DOMESTIC GOAT
000001	<i>Uncia uncia</i>	SNOW LEOPARD
000003	<i>Otocolobus manul</i>	PALLAS'S CAT
000001	<i>Hystrix indica</i>	INDIAN CRESTED PORCUPINE
000002	<i>Ailurus fulgens</i>	RED PANDA
000002	<i>Mustela putorius furo</i>	DOMESTIC FERRET
000006	<i>Chinchilla lanigera</i>	CHINCHILLA
000002	<i>Rattus norvegicus</i>	NORWAY RAT / LAB RAT (COMMON RESEARCH/PET VARIETY)
000005	<i>Canis rufus</i>	RED WOLF
000001	<i>Ursus americanus</i>	NORTH AMERICAN BLACK BEAR
000001	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
000001	<i>Lynx lynx</i>	NORTHERN/EURASIAN LYNX
000002	<i>Aonyx cinereus</i>	ORIENTAL SMALL-CLAWED OTTER
000002	<i>Vulpes vulpes</i>	RED FOX (INCLUDES SILVER FOX & CROSS FOX)
000002	<i>Procyon lotor</i>	RACCOON
000001	<i>Elaphodus cephalophus</i>	TUFTED DEER
000001	<i>Sus scrofa</i>	WILD BOAR
000039	<b>Total</b>	