



Inspection Report

Youth Services Agency
1283 Almshouse Rd
Doylestown, PA 18901

Customer ID: **329619**

Certificate: **23-C-0332**

Site: 001

YOUTH SERVICES AGENCY

Type: ROUTINE INSPECTION

Date: 29-SEP-2014

3.53(a)(1)

PRIMARY ENCLOSURES.

Section 3.53(a)(1) Primary enclosure: The enclosure housing two rabbits has linoleum on the floor and extends several inches up the back and right walls. The rabbits have chew a large hole in the linoleum in the back right corner. Pieces of the linoleum are in the enclosure. The rabbits could ingest these pieces and become ill. The enclosure must be repaired to be structurally sound and to protect the health of the rabbits.

Correct by October 6, 2014.

An exit briefing was conducted with the facility director.

Prepared By: MARY GEIB, D V M USDA, APHIS, Animal Care

Date:
29-SEP-2014

Title: VETERINARY MEDICAL OFFICER 1021

Received by Title: DIRECTOR

Date:
29-SEP-2014



Species Inspected

| Cust No | Cert No | Site | Site Name | Inspection |
|---------|-----------|------|-----------------------|------------|
| 329619 | 23-C-0332 | 001 | YOUTH SERVICES AGENCY | 29-SEP-14 |

| Count | Scientific Name | Common Name |
|---------------|---------------------------------|--|
| 000002 | <i>Cavia porcellus</i> | DOMESTIC GUINEA PIG |
| 000001 | <i>Chinchilla lanigera</i> | CHINCHILLA |
| 000002 | <i>Meriones unguiculatus</i> | MONGOLIAN GERBIL (COMMON PET / RESEARCH VARIETY) |
| 000002 | <i>Muscardinus avellanarius</i> | HAZEL DORMOUSE |
| 000003 | <i>Oryctolagus cuniculus</i> | EUROPEAN RABBIT |
| 000010 | Total | |