



Inspection Report

Rodney L Bauman
134 Pauls Lane
Loysville, PA 17047

Customer ID: 13754
Certificate: 23-A-0508
Site: 002
RODNEY BAUMAN

Type: ROUTINE INSPECTION
Date: 20-FEB-2020

3.31(b)

SANITATION.

There is a build-up of dust, dirt, and cobwebs on the walls, ceilings, vents, and filters of the three rooms housing the hamsters. There are also accumulations of bedding material and rodent droppings on the floor within the hamster rooms. Failure to clean animal facilities regularly can adversely affect the health of the hamsters and can potentially attract pests. The facility must maintain the premise by keeping it clean and in good repair in order to protect the animals from injury and to facilitate the prescribed husbandry practices. The dusty filters in animal rooms must be replaced or cleaned to ensure appropriate air quality, and the shavings and droppings must be removed to prevent pests.

Correct by: February 27, 2020.

This inspection and exit interview were conducted with the licensee.

Prepared By: NOOYEN AMY, D V M USDA, APHIS, Animal Care

Date:
20-FEB-2020

Title: VETERINARY MEDICAL OFFICER 6129

Received by Title: LICENSEE

Date:
20-FEB-2020



Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
13754	23-A-0508	002	RODNEY BAUMAN	20-FEB-20

Count	Scientific Name	Common Name
000425	<i>Cricetulus griseus</i>	CHINESE HAMSTER
003569	<i>Mesocricetus auratus</i>	SYRIAN / GOLDEN HAMSTER (COMMON PET/RESEARCH TYPE)
002128	<i>Phodopus campbelli</i>	CAMPBELL'S DESERT HAMSTER / RUSSIAN HAMSTER
002045	<i>Phodopus roborovskii</i>	ROBOROVSKI'S DWARF HAMSTER
001735	<i>Phodopus sungorus</i>	DJUNGARIAN / RUSSIAN WINTER WHITE DWARF HAMSTER
009902	Total	