



Inspection Report

Wilson Horse and Mule Sale Inc
1050 W Cemetery Road
Cookeville, TN 38506

Customer ID: **38048**

Certificate:

Site: 001

WILSON HORSE & MULE SALE
INC

Type: RE-LICENSE INSPECTION

Date: 22-FEB-2023

3.75(c)(2)

Housing facilities, general.

The surfaces in the non-human primate housing area are in need of maintenance. The surfaces of the tables used to hold the non-human primate enclosures and the floor have lost their protective coating over time and are no longer able to be readily cleaned and sanitized. Regular cleaning and sanitizing is necessary to prevent odors and the spread of disease. The facility shall ensure that all surfaces are maintained on a regular basis and able to be regularly cleaned and sanitized.

3.125(a)

Repeat

Facilities, general.

Several animal housing areas are in need of repair:

*Zebu area: multiple enclosures contain vertical metal secondary support bars that have been damaged and broken leaving sharp edges present

*Antelope/deer area: One small enclosure backing up to the unroofed outdoor area is missing a portion of the wood back wall at ground level leaving an approximately 6in x 12 in opening.

*Tagging area: one enclosure has a vertical metal cross support bar that is damaged with sharp edges present.

*Camel area: one enclosure has a loose and broken wood rail

*Fur bearing/outdoor exotic area: Two of the tables are slanted. Both are currently topped with heavy metal and wood

Prepared By: SUSANNE BRUNKHORST

USDA, APHIS, Animal Care

Date:

22-FEB-2023

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Applicant

Date:

22-FEB-2023



Inspection Report

items. It appears a support structure is not sufficient/has been damaged and is not holding the tables level.

*Small animal barn: Ceiling and wall insulation is damaged with pieces of insulation dangling over animal enclosures.

Regular repair of surfaces is necessary to keep the housing facilities structurally sound such that the animals are protected from injury and to contain the animals. The indoor and outdoor housing facilities shall be structurally sound and maintained in good repair.

3.131(d)

Sanitation.

A dead bird carcass was present in one of the housing enclosures used to house antelope/deer species. Just outside the enclosure in the walkway is a large hole (approximately 3-4 in in diameter). The facility representative stated that a wild mammal is digging into this area of the barn from outside and bringing in the dead animals. The hole has been refilled but the animal has dug it out again. Mammalian pests bringing in dead animal carcasses can lead to odors and even spread disease. The facility shall establish and maintain a safe and effective program to control pests including mammalian pests.

This is a 1st Re-License Inspection for a Class "B" license. The inspection and exit briefing were conducted with the applicant.

All items must be in compliance within 2 more inspection(s) within 60 days of 2/22/23 or the applicant will forfeit the license fee and must wait 6 months to reapply.

Please contact your inspector to schedule your next Re-License Inspection.

Regulated activity can continue under your existing USDA license until it expires.

Prepared By: SUSANNE BRUNKHORST
USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL
OFFICER

Date:
22-FEB-2023

Received by Title: Applicant

Date:
22-FEB-2023



United States Department of Agriculture
Animal and Plant Health Inspection Service

Customer: 38048
Inspection Date: 22-Feb-2023

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
38048		001	WILSON HORSE & MULE SALE INC	22-FEB-2023

Count	Scientific Name	Common Name
000000	NONE	NONE
000000	Total	