

United States Department of Agriculture Animal and Plant Health Inspection Service

RMARKMANN **2016090000746505** Insp. id

Inspection Report

AMOS M FISHER 1052 LANCASTER PIKE QUARRYVILLE, PA 17566 Customer ID: 502991

Certificate: 23-A-0661

Site: 001

AMOS FISHER

Type: ROUTINE INSPECTION

Date: 03-NOV-2021

2.75(b)(1)

Records: Dealers and exhibitors.

There were no sale records maintained since the previous inspection report. Sale records listing the name and address of the buyer, the date of sale, the number and species of animals are required for regulatory purposes. Failure to keep and maintain sale records makes it difficult to track changes in the number of guinea pigs, document changes in ownership, and to adequately assess the animal care program. License must keep and maintain copies of sale records with the required information. Correct by November 5, 2021.

3.28(a)(1)

Primary enclosures.

The right 2nd rack, 4th enclosure down has rusty, broken, and protruding wire on the front side by the automatic waterer/drainpipe. Enclosure is housing 9 adult guinea pigs and 1 offspring.

The right 2nd rack, 5th enclosure down has rusty, protruding wire, and large gaps between wire and automatic waterer/drainpipe on the front side. Enclosure is housing 11 adult guinea pigs and 6 offspring.

Enclosures must be structurally sound and maintained in good repair to prevent injury to guinea pigs, contain the animals securely, and constructed of materials which are substantially impervious to liquids and moisture. Rusty wire can not be

Prepared By: ROBERT MARKMANN Date:

Title: ANIMAL CARE INSPECTOR

Received by Title: Licensee Date:

03-NOV-2021

03-NOV-2021

USDA, APHIS, Animal Care



United States Department of Agriculture Animal and Plant Health Inspection Service

RMARKMANN **2016090000746505** Insp_id

Inspection Report

adequately cleaned and sanitized. Broken, protruding, and large gaps or holes in wire can result in injury to guinea pigs
and allow animals to escape enclosures. Licensee must ensure that enclosures are structurally sound and maintained in
good repair. Correct by November 15, 2021.

This inspection and exit interview were conducted with the licensee.

Prepared By:ROBERT MARKMANNDate:USDA, APHIS, Animal Care03-NO

Title: ANIMAL CARE INSPECTOR

Received by Title: Licensee Date:

03-NOV-2021

03-NOV-2021



United States Department of Agriculture Animal and Plant Health Inspection Service

Customer: 502991

Inspection Date: 03-Nov-2021

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
502991	23-A-0661	001	AMOS FISHER	03-NOV-2021

Count Scientific Name Common Name

000498 Cavia porcellus DOMESTIC GUINEA PIG

000498 **Total**