



## Inspection Report

---

PEL-FREEZ ARKANSAS L L C  
219 N. ARKANSAS STREET  
ROGERS, AR 72756

Customer ID: **7213**

Certificate: **71-B-0140**

Site: 005

Pel-Freez-Beemer

Type: ROUTINE INSPECTION

Date: 25-OCT-2022

---

### 3.53(a)(1)

#### Primary enclosures.

In barn 7, multiple cages were in need of repair with sharp points protruding into the primary enclosures and large holes in cage walls. Between cages 43 and 44, a hole in the cage wall allowed for 3 week old kits to enter the cage of a rabbit that was not their mother. Between cages 32 and 33, there was a hole between the cages large enough for the adult rabbits to stick their head into the cage of another rabbit. In Cages 19 and 20, broken wires in the front of the cages created holes big enough for the 3 week old kits in the cages to potentially escape. In cages 78 and 90, large broken wires over the feeders created a hazard to the rabbits' eyes whenever they ate from the feeders. Multiple other cages, including 39, 47, 52, 57, 83, 84, and 168, had broken wires, creating sharp point hazards in the cages, holes of various sizes, and weakened flooring. When cages are not maintained in good repair, rabbits can become injured or escape. Correct by ensuring the cages are kept in good repair to keep the rabbits safe and contained. Multiple issues were corrected at the time of inspection. Correct remaining issues by 10/31/22

This inspection and exit interview were conducted with the facility representative.

Additional Inspectors:

Brianna Waldrop, VETERINARY MEDICAL OFFICER

---

**Prepared By:** COURTNEY JERNIGAN

USDA, APHIS, Animal Care

**Title:** VETERINARY MEDICAL  
OFFICER

**Date:**

25-OCT-2022

**Received by Title:** Facility Representative

**Date:**

25-OCT-2022



**Species Inspected**

Cust No	Cert No	Site	Site Name	Inspection
7213	71-B-0140	005	Pel-Freez-Beemer	25-OCT-2022

Count	Scientific Name	Common Name
001608	<i>Oryctolagus cuniculus</i>	DOMESTIC RABBIT / EUROPEAN RABBIT
001608	<b>Total</b>	