



Inspection Report

Struve Labs International Inc
1603 Enterprise St
Manning, IA 51455

Customer ID: **28833**

Certificate: **42-B-0306**

Site: 001

STRUVE LABS INTERNATIONAL
INC.

Type: RE-LICENSE INSPECTION

Date: 25-JUL-2023

No non-compliant items were identified during this Re-License inspection.

This is a 1st Re-License Inspection for a Class "B" license. The inspection and exit briefing were conducted with the applicant. The applicant is ready to be licensed under the AWA.

A copy of your license will be sent to you without any additional action on your part. If you have not received your license within 30 days, please contact the USDA at 970-494-7478.

Prepared By: WILLIAM JANECKE

USDA, APHIS, Animal Care

Date:

25-JUL-2023

Title: VETERINARY MEDICAL
OFFICER

Received by Title: Facility Representative

Date:

25-JUL-2023



United States Department of Agriculture
Animal and Plant Health Inspection Service

Customer: 28833
Inspection Date: 25-Jul-2023

Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
28833	42-B-0306	001	STRUVE LABS INTERNATIONAL INC.	25-JUL-2023

Count	Scientific Name	Common Name
000047	<i>Sus scrofa domestica</i>	DOMESTIC PIG / POTBELLY PIG / MICRO PIG
000047	Total	