



## Inspection Report

---

Phoenix Herpetological Sanctuary Society  
20701 N. Scottsdale Road, #107 Mb 401  
Scottsdale, AZ 85525

Customer ID: **326983**

Certificate: **86-C-0108**

Site: 001

PHOENIX HERPETOLOGICAL  
SOCIETY

Type: ROUTINE INSPECTION

Date: 15-JUN-2023

---

### 3.125(a)

#### Facilities, general.

The holding pen for the two adult capybara had three metal framed gates with severe rusting and corrosion at the bottom of the door jambs resulting in sharp points. Presence of sharp points in the animals' housing area can result in bodily injury. Licensees must ensure that the outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury.

Correct by removing rust corroded metal and sharp points from the capybara enclosure by 28 July 2023.

This inspection and exit interview were conducted with facility representative.

---

Prepared By: MADELINE ANNA

USDA, APHIS, Animal Care

Date:

15-JUN-2023

Title: VETERINARY MEDICAL  
OFFICER

Received by Title: Facility Representative

Date:

15-JUN-2023



### Species Inspected

Cust No	Cert No	Site	Site Name	Inspection
326983	86-C-0108	001	PHOENIX HERPETOLOGICAL SOCIETY	15-JUN-2023

Count	Scientific Name	Common Name
000006	<i>Potos flavus</i>	KINKAJOU
000002	<i>Procyon lotor</i>	RACCOON
000001	<i>Aonyx cinereus</i>	ORIENTAL SMALL-CLAWED OTTER
000002	<i>Bassariscus astutus</i>	RINGTAIL
000002	<i>Hydrochaeris hydrochaeris</i>	CAPYBARA
000013	<b>Total</b>	